

| COVENTRY ENVIRONMENTAL ASSOCIATES, INC.               |                                                                 |               |                                | BORING NO: GP-1                  |                   |
|-------------------------------------------------------|-----------------------------------------------------------------|---------------|--------------------------------|----------------------------------|-------------------|
| DRILLING LOG                                          |                                                                 |               |                                |                                  |                   |
| PROJECT NO: WACHTER--002                              |                                                                 | DATE: 7/31/19 |                                | DRILLING METHOD: geoprobe        |                   |
| PROJECT TITLE: United Tire Service                    |                                                                 |               | DRILLING COMPANY: Garber       |                                  |                   |
| PROJECT LOCATION: 4094 Chestnut Street<br>Emmaus,, PA |                                                                 |               | BOREHOLE DIAMETER (IN): 2 inch |                                  | WATER LEVEL (FT): |
|                                                       |                                                                 |               | WEATHER CONDITIONS: dry, hot   |                                  | LOGGED BY: jvw    |
| DEPTH (FT)                                            | LITHOLOGIC DESCRIPTION                                          | PID           | SAMPLE                         | COMMENTS                         |                   |
| 0                                                     | Gravel                                                          | 0             |                                | no petroleum odor/staining       |                   |
| —                                                     | Moist to dry, brown silty clay with some small limestone gravel | 0             |                                |                                  |                   |
| 4                                                     |                                                                 | 0             |                                |                                  |                   |
| —                                                     | Moist, brown/gray silty clay with limestone gravel              | 0             |                                | No petroleum odor, no staining   |                   |
| 8                                                     | same lithology                                                  | 0             |                                |                                  |                   |
| —                                                     |                                                                 | 639           |                                | moderate petroleum odor/staining |                   |
| 12                                                    |                                                                 | 715           |                                |                                  |                   |
| —                                                     | same lithology, very firm                                       | 1881          | @ 12'                          | strong petroleum odor/staining   |                   |
| —                                                     |                                                                 | 783           |                                |                                  |                   |
| —                                                     |                                                                 | 511           |                                |                                  |                   |
| —                                                     |                                                                 | 650           |                                |                                  |                   |
| —                                                     |                                                                 | 683           |                                |                                  |                   |
| 16                                                    | no recovery, gravel in liner (torn/crushed)                     | 70            | @ 16'                          | slight petroleum odor            |                   |
| —                                                     |                                                                 |               |                                |                                  |                   |
| 20                                                    | no recovery, gravel in liner (torn/crushed)                     |               |                                |                                  |                   |
| —                                                     |                                                                 |               |                                |                                  |                   |
| 24                                                    | no recovery, gravel in liner (torn/crushed), end boring         |               |                                |                                  |                   |
| —                                                     |                                                                 |               |                                |                                  |                   |
| 28                                                    |                                                                 |               |                                |                                  |                   |
| —                                                     |                                                                 |               |                                |                                  |                   |
| 32                                                    |                                                                 |               |                                |                                  |                   |
| —                                                     |                                                                 |               |                                |                                  |                   |
| 36                                                    |                                                                 |               |                                |                                  |                   |
| —                                                     |                                                                 |               |                                |                                  |                   |
| 40                                                    |                                                                 |               |                                |                                  |                   |



| COVENTRY ENVIRONMENTAL ASSOCIATES, INC.<br>DRILLING LOG  |  |               |                                   | BORING NO:<br>GP-2        |
|----------------------------------------------------------|--|---------------|-----------------------------------|---------------------------|
| PROJECT NO: WACHTER--002                                 |  | DATE: 7/31/19 |                                   | DRILLING METHOD: geoprobe |
| PROJECT TITLE: United Tire Service                       |  |               | DRILLING COMPANY: Garber          |                           |
| PROJECT LOCATION:<br>4094 Chestnut Street<br>Emmaus,, PA |  |               | BOREHOLE DIAMETER (IN):<br>2 inch | WATER LEVEL (FT):         |
|                                                          |  |               | WEATHER CONDITIONS:<br>dry, hot   | LOGGED BY:<br>jvw         |


| DEPTH<br>(FT) | LITHOLOGIC DESCRIPTION                           | PID | SAMPLE | COMMENTS                       |
|---------------|--------------------------------------------------|-----|--------|--------------------------------|
| 0             | Backfill gravel                                  | 0   |        | no petroleum odor/staining     |
| —             |                                                  | 0   |        |                                |
| 4             |                                                  | 0   |        |                                |
| —             |                                                  | 0   |        |                                |
| 8             |                                                  | 0   |        |                                |
| —             |                                                  | 0   |        | No petroleum odor, no staining |
| 12            | Backfill gravel                                  | 0   |        |                                |
| —             |                                                  | 0   |        |                                |
| 16            | Brown silty clay with some limestone gravel, wet | 36  |        | strong petroleum odor/staining |
| —             |                                                  | 422 | @ 17'  | strong petroleum odor/staining |
|               |                                                  | 272 |        |                                |
| 20            | no recovery, gravel in liner (torn/crushed),     | 16  | @ 20'  | slight petroleum odor          |
| —             |                                                  |     |        |                                |
| 24            | end boring                                       |     |        |                                |
| —             |                                                  |     |        |                                |
| 28            |                                                  |     |        |                                |
| —             |                                                  |     |        |                                |
| 32            |                                                  |     |        |                                |
| —             |                                                  |     |        |                                |
| 36            |                                                  |     |        |                                |
| —             |                                                  |     |        |                                |
| 40            |                                                  |     |        |                                |



| COVENTRY ENVIRONMENTAL ASSOCIATES, INC.<br>DRILLING LOG  |              |       |         | BORING NO:<br>GP-3                |
|----------------------------------------------------------|--------------|-------|---------|-----------------------------------|
| PROJECT nO:                                              | WACHTER--002 | DATE: | 7/31/19 | DRILLING METHOD: geoprobe         |
| PROJECT TITLE: United Tire Service                       |              |       |         | DRILLING COMPANY: Garber          |
| PROJECT LOCATION:<br>4094 Chestnut Street<br>Emmaus,, PA |              |       |         | BOREHOLE DIAMETER (IN):<br>2 inch |
|                                                          |              |       |         | WATER LEVEL (FT):                 |
|                                                          |              |       |         | WEATHER CONDITIONS:<br>dry, hot   |
|                                                          |              |       |         | LOGGED BY:<br>jvw                 |


| DEPTH<br>(FT) | LITHOLOGIC DESCRIPTION                                          | PID | SAMPLE | COMMENTS                       |
|---------------|-----------------------------------------------------------------|-----|--------|--------------------------------|
| 0             | Gravel                                                          |     |        | No petroleum odor/staining     |
| —             | Moist to dry, brown silty clay with some small limestone gravel | 0   |        |                                |
| 4             |                                                                 | 0   |        |                                |
| —             | Moist, brown/gray silty clay with limestone gravel              | 0   |        | No petroleum odor, no staining |
| 8             | same lithology                                                  | 0   |        |                                |
| —             |                                                                 | 0   |        | No petroleum odor/staining     |
| 12            | same lithology, very firm                                       | 0   |        | No petroleum odor/staining     |
| —             |                                                                 | 0   |        |                                |
| 16            | end boring, refusal                                             | 0   | @ 16'  |                                |
| —             |                                                                 |     |        |                                |
| 20            |                                                                 |     |        |                                |
| —             |                                                                 |     |        |                                |
| 24            |                                                                 |     |        |                                |
| —             |                                                                 |     |        |                                |
| 28            |                                                                 |     |        |                                |
| —             |                                                                 |     |        |                                |
| 32            |                                                                 |     |        |                                |
| —             |                                                                 |     |        |                                |
| 36            |                                                                 |     |        |                                |
| —             |                                                                 |     |        |                                |
| 40            |                                                                 |     |        |                                |



|                                                          |  |              |  |                                   |  |
|----------------------------------------------------------|--|--------------|--|-----------------------------------|--|
| COVENTRY ENVIRONMENTAL ASSOCIATES, INC.                  |  |              |  | BORING NO:<br>GP-4                |  |
| DRILLING LOG                                             |  |              |  |                                   |  |
| PROJECT nO: WACHTER--002                                 |  | DATE: 8/1/19 |  | DRILLING METHOD: geoprobe         |  |
| PROJECT TITLE: United Tire Service                       |  |              |  | DRILLING COMPANY: Garber          |  |
| PROJECT LOCATION:<br>4094 Chestnut Street<br>Emmaus,, PA |  |              |  | BOREHOLE DIAMETER (IN):<br>2 inch |  |
|                                                          |  |              |  | WATER LEVEL (FT):                 |  |
|                                                          |  |              |  | WEATHER CONDITIONS:<br>dry, hot   |  |
|                                                          |  |              |  | LOGGED BY:<br>jvw                 |  |

| DEPTH<br>(FT) | LITHOLOGIC DESCRIPTION                                          | PID | SAMPLE | COMMENTS                       |
|---------------|-----------------------------------------------------------------|-----|--------|--------------------------------|
| 0             | Moist to dry, brown silty clay with some small limestone gravel |     |        | No petroleum odor/staining     |
| —             |                                                                 | 0   |        |                                |
| 4             | poor recovery, mix concrete and gravel                          | 0   |        | No petroleum odor, no staining |
| —             |                                                                 | 0   |        |                                |
| 8             | poor recoery, gravel                                            | 0   |        | No petroleum odor/staining     |
| —             |                                                                 | 0   |        |                                |
| 12            | poor recovery                                                   | 0   |        | No petroleum odor/staining     |
| —             |                                                                 | 0   |        |                                |
| 16            | brown silty clay<br>end boring, refusal                         | 700 | @ 16'  | strong petroleum odor/staining |
| —             |                                                                 |     |        |                                |
| 20            |                                                                 |     |        |                                |
| —             |                                                                 |     |        |                                |
| 24            |                                                                 |     |        |                                |
| —             |                                                                 |     |        |                                |
| 28            |                                                                 |     |        |                                |
| —             |                                                                 |     |        |                                |
| 32            |                                                                 |     |        |                                |
| —             |                                                                 |     |        |                                |
| 36            |                                                                 |     |        |                                |
| —             |                                                                 |     |        |                                |
| 40            |                                                                 |     |        |                                |




| COVENTRY ENVIRONMENTAL ASSOCIATES, INC.<br>DRILLING LOG  |  |              |                                   | BORING NO:<br>GP-5        |
|----------------------------------------------------------|--|--------------|-----------------------------------|---------------------------|
| PROJECT NO: WACHTER--002                                 |  | DATE: 8/1/19 |                                   | DRILLING METHOD: geoprobe |
| PROJECT TITLE: United Tire Service                       |  |              | DRILLING COMPANY: Garber          |                           |
| PROJECT LOCATION:<br>4094 Chestnut Street<br>Emmaus,, PA |  |              | BOREHOLE DIAMETER (IN):<br>2 inch | WATER LEVEL (FT):         |
|                                                          |  |              | WEATHER CONDITIONS:<br>dry, hot   | LOGGED BY:<br>jvw         |

| DEPTH<br>(FT) | LITHOLOGIC DESCRIPTION                                          | PID | SAMPLE | COMMENTS                       |
|---------------|-----------------------------------------------------------------|-----|--------|--------------------------------|
| 0             | Gravel                                                          | 0   |        | No petroleum odor/staining     |
| —             | Moist to dry, brown silty clay with some small limestone gravel | 0   |        |                                |
| 4             |                                                                 | 0   |        |                                |
| —             | Moist, brown/gray silty clay with limestone gravel              | 0   |        | No petroleum odor, no staining |
| 8             | same lithology                                                  | 0   |        |                                |
| —             |                                                                 | 0   |        | No petroleum odor/staining     |
| 12            |                                                                 | 0   |        |                                |
| —             |                                                                 | 0   |        | No petroleum odor/staining     |
| 16            | same lithology, very firm                                       | 0   |        |                                |
| —             |                                                                 | 0   |        | No petroleum odor/staining     |
| 20            | end boring, refusal                                             | 0   | @ 20'  |                                |
| —             |                                                                 |     |        |                                |
| 24            |                                                                 |     |        |                                |
| —             |                                                                 |     |        |                                |
| 28            |                                                                 |     |        |                                |
| —             |                                                                 |     |        |                                |
| 32            |                                                                 |     |        |                                |
| —             |                                                                 |     |        |                                |
| 36            |                                                                 |     |        |                                |
| —             |                                                                 |     |        |                                |
| 40            |                                                                 |     |        |                                |



| COVENTRY ENVIRONMENTAL ASSOCIATES, INC.                  |                                                                 |                         |        | BORING NO:<br>GP-6             |
|----------------------------------------------------------|-----------------------------------------------------------------|-------------------------|--------|--------------------------------|
| DRILLING LOG                                             |                                                                 |                         |        |                                |
| PROJECT NO:                                              | WACHTER--002                                                    | DATE:                   | 8/1/19 | DRILLING METHOD: geoprobe      |
| PROJECT TITLE:                                           |                                                                 | DRILLING COMPANY:       |        |                                |
| United Tire Service                                      |                                                                 | Garber                  |        |                                |
| PROJECT LOCATION:<br>4094 Chestnut Street<br>Emmaus,, PA |                                                                 | BOREHOLE DIAMETER (IN): |        | WATER LEVEL (FT):              |
|                                                          |                                                                 | 2 inch                  |        |                                |
|                                                          |                                                                 | WEATHER CONDITIONS:     |        | LOGGED BY:                     |
|                                                          |                                                                 | dry, hot                |        | jvw                            |
| DEPTH<br>(FT)                                            | LITHOLOGIC DESCRIPTION                                          | PID                     | SAMPLE | COMMENTS                       |
| 0                                                        | Gravel                                                          | 0                       |        | No petroleum odor/staining     |
| —                                                        | Moist to dry, brown silty clay with some small limestone gravel | 0                       |        |                                |
| 4                                                        |                                                                 | 0                       |        |                                |
| —                                                        | Moist, brown/gray silty clay with limestone gravel              | 0                       |        | No petroleum odor, no staining |
| 8                                                        | same lithology                                                  | 0                       |        |                                |
| —                                                        |                                                                 | 0                       |        | No petroleum odor/staining     |
| 12                                                       | same lithology, very firm                                       | 0                       |        |                                |
| —                                                        |                                                                 | 0                       |        | No petroleum odor/staining     |
| 16                                                       | end boring                                                      | 0                       | @ 16'  | No petroleum odor/staining     |
| —                                                        |                                                                 |                         |        |                                |
| 20                                                       |                                                                 |                         |        |                                |
| —                                                        |                                                                 |                         |        |                                |
| 24                                                       |                                                                 |                         |        |                                |
| —                                                        |                                                                 |                         |        |                                |
| 28                                                       |                                                                 |                         |        |                                |
| —                                                        |                                                                 |                         |        |                                |
| 32                                                       |                                                                 |                         |        |                                |
| —                                                        |                                                                 |                         |        |                                |
| 36                                                       |                                                                 |                         |        |                                |
| —                                                        |                                                                 |                         |        |                                |
| 40                                                       |                                                                 |                         |        |                                |



|                                                          |  |              |  |                                   |  |
|----------------------------------------------------------|--|--------------|--|-----------------------------------|--|
| COVENTRY ENVIRONMENTAL ASSOCIATES, INC.                  |  |              |  | BORING NO:<br>GP-7                |  |
| DRILLING LOG                                             |  |              |  |                                   |  |
| PROJECT nO: WACHTER--002                                 |  | DATE: 8/1/19 |  | DRILLING METHOD: geoprobe         |  |
| PROJECT TITLE: United Tire Service                       |  |              |  | DRILLING COMPANY: Garber          |  |
| PROJECT LOCATION:<br>4094 Chestnut Street<br>Emmaus,, PA |  |              |  | BOREHOLE DIAMETER (IN):<br>2 inch |  |
|                                                          |  |              |  | WATER LEVEL (FT):                 |  |
|                                                          |  |              |  | WEATHER CONDITIONS:<br>dry, hot   |  |
|                                                          |  |              |  | LOGGED BY:<br>jyw                 |  |


| DEPTH<br>(FT) | LITHOLOGIC DESCRIPTION                                          | PID | SAMPLE | COMMENTS                       |
|---------------|-----------------------------------------------------------------|-----|--------|--------------------------------|
| 0             | Gravel                                                          | 0   |        | No petroleum odor/staining     |
| —             | Moist to dry, brown silty clay with some small limestone gravel | 0   |        |                                |
| 4             |                                                                 | 0   |        |                                |
| —             | Moist, brown/gray silty clay with limestone gravel              | 0   |        | No petroleum odor, no staining |
| 8             | same lithology                                                  | 0   |        |                                |
| —             |                                                                 | 0   |        | No petroleum odor/staining     |
| 12            | same lithology, very firm                                       | 0   |        |                                |
| —             |                                                                 | 0   |        | No petroleum odor/staining     |
| 16            | end boring                                                      | 0   | @ 16'  | No petroleum odor/staining     |
| —             |                                                                 |     |        |                                |
| 20            |                                                                 |     |        |                                |
| —             |                                                                 |     |        |                                |
| 24            |                                                                 |     |        |                                |
| —             |                                                                 |     |        |                                |
| 28            |                                                                 |     |        |                                |
| —             |                                                                 |     |        |                                |
| 32            |                                                                 |     |        |                                |
| —             |                                                                 |     |        |                                |
| 36            |                                                                 |     |        |                                |
| —             |                                                                 |     |        |                                |
| 40            |                                                                 |     |        |                                |



| COVENTRY ENVIRONMENTAL ASSOCIATES, INC.<br>DRILLING LOG  |  |              |                                   | BORING NO:<br>GP-8        |
|----------------------------------------------------------|--|--------------|-----------------------------------|---------------------------|
| PROJECT nO: WACHTER--002                                 |  | DATE: 8/1/19 |                                   | DRILLING METHOD: geoprobe |
| PROJECT TITLE: United Tire Service                       |  |              | DRILLING COMPANY: Garber          |                           |
| PROJECT LOCATION:<br>4094 Chestnut Street<br>Emmaus,, PA |  |              | BOREHOLE DIAMETER (IN):<br>2 inch | WATER LEVEL (FT):         |
|                                                          |  |              | WEATHER CONDITIONS:<br>dry, hot   | LOGGED BY:<br>jvw         |


| DEPTH<br>(FT) | LITHOLOGIC DESCRIPTION                                    | PID | SAMPLE | COMMENTS                       |
|---------------|-----------------------------------------------------------|-----|--------|--------------------------------|
| 0             | Backfill gravel                                           | 0   |        | no petroleum odor/staining     |
| —             |                                                           | 0   |        |                                |
| 4             |                                                           | 0   |        |                                |
| —             |                                                           | 0   |        |                                |
| 8             |                                                           | 0   |        |                                |
| —             |                                                           | 0   |        | No petroleum odor, no staining |
| 12            | Backfill gravel                                           | 0   |        |                                |
| —             |                                                           |     |        |                                |
| 16            | no recovery, limestone<br>gravel in liner (torn/crushed), |     |        |                                |
| —             |                                                           |     |        |                                |
| 20            | no recovery, limestone<br>gravel in liner (torn/crushed)  |     |        |                                |
| —             |                                                           |     |        |                                |
| 24            | end boring                                                |     |        |                                |
| —             |                                                           |     |        |                                |
| 28            |                                                           |     |        |                                |
| —             |                                                           |     |        |                                |
| 32            |                                                           |     |        |                                |
| —             |                                                           |     |        |                                |
| 36            |                                                           |     |        |                                |
| —             |                                                           |     |        |                                |
| 40            |                                                           |     |        |                                |




| COVENTRY ENVIRONMENTAL ASSOCIATES, INC.               |                                                                 |                                                                                |        | BORING NO: SB-9                                                     |  |
|-------------------------------------------------------|-----------------------------------------------------------------|--------------------------------------------------------------------------------|--------|---------------------------------------------------------------------|--|
| DRILLING LOG                                          |                                                                 |                                                                                |        |                                                                     |  |
| PROJECT NO: WACHTER--002                              |                                                                 | DATE: 9/16/19                                                                  |        | DRILLING METHOD: AUGER/SPOON                                        |  |
| PROJECT TITLE: United Tire Service                    |                                                                 |                                                                                |        | DRILLING COMPANY: Garber                                            |  |
| PROJECT LOCATION: 4094 Chestnut Street<br>Emmaus,, PA |                                                                 |                                                                                |        | BOREHOLE DIAMETER (IN): 8 inch                                      |  |
|                                                       |                                                                 |                                                                                |        | WATER LEVEL (FT):                                                   |  |
|                                                       |                                                                 |                                                                                |        | WEATHER CONDITIONS: dry, hot                                        |  |
|                                                       |                                                                 |                                                                                |        | LOGGED BY: jvw                                                      |  |
| DEPTH (FT)                                            | LITHOLOGIC DESCRIPTION                                          | PID                                                                            | SAMPLE | COMMENTS                                                            |  |
| 0                                                     | Backfill Gravel                                                 | 0                                                                              |        | no petroleum odor/staining                                          |  |
| —                                                     |                                                                 | 0                                                                              |        |                                                                     |  |
| 6                                                     |                                                                 | 0                                                                              |        |                                                                     |  |
| —                                                     |                                                                 |                                                                                |        | spoon 10-12', no recovery, gravel blockage                          |  |
| 12                                                    |                                                                 |                                                                                |        | spoon 13-15', no recovery, gravel blockage                          |  |
| —                                                     | Moist to dry, brown silty clay with some small limestone gravel | 39<br>642<br>156<br>304<br>460<br>10<br>4.8<br>3.1<br>0.3<br>2.4<br>2.1<br>1.4 | @ 16'  | spoons 15-21', black staining, strong petroleum odor from 15 to 17' |  |
| 18                                                    |                                                                 |                                                                                |        | Slight petroleum odor, no staining at 19'                           |  |
| —                                                     | Moist, brown/gray silty clay with limestone gravel              |                                                                                | @ 21'  |                                                                     |  |
| 24                                                    |                                                                 | 0.2<br>1<br>0<br>0.4                                                           |        | spoon 25 to 27', no petroleum odor                                  |  |
| —                                                     | same lithology                                                  |                                                                                |        |                                                                     |  |
| 30                                                    |                                                                 |                                                                                |        |                                                                     |  |
| —                                                     | same lithology, very firm                                       |                                                                                |        |                                                                     |  |
| 36                                                    |                                                                 |                                                                                |        |                                                                     |  |
| —                                                     | same lithology                                                  |                                                                                |        |                                                                     |  |
| 42                                                    |                                                                 | 0.3<br>3.3<br>2.6                                                              |        | spoon 40-42', no petroleum odor                                     |  |
| —                                                     |                                                                 |                                                                                |        |                                                                     |  |
| 48                                                    |                                                                 | 0.4<br>1.2<br>0<br>0                                                           | @50'   | spoon 48 -50', no petroleum odor                                    |  |
| —                                                     | end boring                                                      |                                                                                |        | Tremie grout borehole                                               |  |
| 54                                                    |                                                                 |                                                                                |        |                                                                     |  |
| —                                                     |                                                                 |                                                                                |        |                                                                     |  |
| 60                                                    |                                                                 |                                                                                |        |                                                                     |  |



| COVENTRY ENVIRONMENTAL ASSOCIATES, INC.               |                                                                 |                                         |        | BORING NO: SB-10                                      |  |
|-------------------------------------------------------|-----------------------------------------------------------------|-----------------------------------------|--------|-------------------------------------------------------|--|
| DRILLING LOG                                          |                                                                 |                                         |        |                                                       |  |
| PROJECT nO: WACHTER--002                              |                                                                 | DATE: 9/16/19                           |        | DRILLING METHOD: AUGER/SPOON                          |  |
| PROJECT TITLE: United Tire Service                    |                                                                 |                                         |        | DRILLING COMPANY: Garber                              |  |
| PROJECT LOCATION: 4094 Chestnut Street<br>Emmaus,, PA |                                                                 |                                         |        | BOREHOLE DIAMETER (IN): 8 inch                        |  |
|                                                       |                                                                 |                                         |        | WATER LEVEL (FT):                                     |  |
|                                                       |                                                                 |                                         |        | WEATHER CONDITIONS: dry, hot                          |  |
|                                                       |                                                                 |                                         |        | LOGGED BY: jvw                                        |  |
| DEPTH (FT)                                            | LITHOLOGIC DESCRIPTION                                          | PID                                     | SAMPLE | COMMENTS                                              |  |
| 0                                                     | Backfill Gravel                                                 | 0                                       |        | no petroleum odor/staining                            |  |
| —                                                     |                                                                 | 0                                       |        |                                                       |  |
| 6                                                     |                                                                 | 0                                       |        |                                                       |  |
| —                                                     |                                                                 | 0                                       |        |                                                       |  |
| 12                                                    |                                                                 | 0                                       |        |                                                       |  |
| —                                                     |                                                                 |                                         |        |                                                       |  |
| 18                                                    | Moist to dry, brown silty clay with some small limestone gravel | 167<br>89                               |        | spoon 16-18', black staining, moderate petroleum odor |  |
| —                                                     |                                                                 |                                         |        |                                                       |  |
| 24                                                    |                                                                 | 9.3<br>6.3<br>3<br>14.2                 | @ 24'  | spoon 22 to 24', no petroleum odor/stain              |  |
| —                                                     | same lithology                                                  |                                         |        |                                                       |  |
| 30                                                    |                                                                 |                                         |        |                                                       |  |
| —                                                     |                                                                 |                                         |        |                                                       |  |
| 36                                                    |                                                                 |                                         |        |                                                       |  |
| —                                                     |                                                                 |                                         |        |                                                       |  |
| 42                                                    | same lithology                                                  | 14<br>56<br>8.6<br>19<br>15<br>10<br>36 |        | spoons 40-44', no petroleum odor                      |  |
| —                                                     |                                                                 |                                         |        |                                                       |  |
| 48                                                    |                                                                 | 103<br>65<br>34<br>30                   | @48'   | spoon 48 -50', no petroleum odor                      |  |
| —                                                     | end boring                                                      |                                         |        |                                                       |  |
| 54                                                    |                                                                 |                                         |        | Tremie grout borehole                                 |  |
| —                                                     |                                                                 |                                         |        |                                                       |  |
| 60                                                    |                                                                 |                                         |        |                                                       |  |




| COVENTRY ENVIRONMENTAL ASSOCIATES, INC.               |                                                                 |                                 |        | BORING NO: SB-11                                                                        |  |
|-------------------------------------------------------|-----------------------------------------------------------------|---------------------------------|--------|-----------------------------------------------------------------------------------------|--|
| DRILLING LOG                                          |                                                                 |                                 |        |                                                                                         |  |
| PROJECT NO: WACHTER--002                              |                                                                 | DATE: 9/17/19                   |        | DRILLING METHOD: AUGER/SPOON                                                            |  |
| PROJECT TITLE: United Tire Service                    |                                                                 |                                 |        | DRILLING COMPANY: Garber                                                                |  |
| PROJECT LOCATION: 4094 Chestnut Street<br>Emmaus,, PA |                                                                 |                                 |        | BOREHOLE DIAMETER (IN): 8 inch                                                          |  |
|                                                       |                                                                 |                                 |        | WATER LEVEL (FT):                                                                       |  |
|                                                       |                                                                 |                                 |        | WEATHER CONDITIONS: dry, hot                                                            |  |
|                                                       |                                                                 |                                 |        | LOGGED BY: jvw                                                                          |  |
| DEPTH (FT)                                            | LITHOLOGIC DESCRIPTION                                          | PID                             | SAMPLE | COMMENTS                                                                                |  |
| 0                                                     | Moist to dry, brown silty clay with some small limestone gravel | 0                               |        | no petroleum odor/staining                                                              |  |
| —                                                     |                                                                 | 0                               |        | PID readings from auger cuttings                                                        |  |
| 6                                                     |                                                                 | 0                               |        |                                                                                         |  |
| —                                                     |                                                                 | 0                               |        |                                                                                         |  |
| 12                                                    |                                                                 | 0                               |        |                                                                                         |  |
| —                                                     |                                                                 | 0                               |        |                                                                                         |  |
| 18                                                    |                                                                 | 0                               |        |                                                                                         |  |
| —                                                     |                                                                 | 0                               |        |                                                                                         |  |
| 24                                                    | same lithology                                                  | 1.9<br>0.9<br>1.4<br>1.7<br>0.6 | @ 25'  | spoons 25 to 29', no petroleum odor/stain                                               |  |
| —                                                     |                                                                 |                                 |        | PID readings from auger cuttings                                                        |  |
| 30                                                    |                                                                 | 1.7                             |        |                                                                                         |  |
| —                                                     |                                                                 | 0.9                             |        |                                                                                         |  |
| 36                                                    |                                                                 | 2                               |        |                                                                                         |  |
| —                                                     |                                                                 |                                 |        |                                                                                         |  |
| 42                                                    |                                                                 | 3.7                             |        |                                                                                         |  |
| —                                                     |                                                                 |                                 |        |                                                                                         |  |
| 48                                                    | same lithology                                                  | 23<br>66<br>34<br>58            |        | spoon 48 -50', no petroleum odor                                                        |  |
| —                                                     |                                                                 |                                 |        |                                                                                         |  |
| 54                                                    | end boring                                                      | 64                              | @54'   | spoon 52 -54', no petroleum odor/stain , limited recovery , refusal on rock (? bedrock) |  |
| —                                                     |                                                                 |                                 |        | Drum cont. cuttings, Tremie grout borehole void                                         |  |
| 60                                                    |                                                                 |                                 |        |                                                                                         |  |




|                                                          |  |               |  |                                   |  |
|----------------------------------------------------------|--|---------------|--|-----------------------------------|--|
| COVENTRY ENVIRONMENTAL ASSOCIATES, INC.                  |  |               |  | BORING NO:<br>SB-12               |  |
| DRILLING LOG                                             |  |               |  |                                   |  |
| PROJECT nO: WACHTER--002                                 |  | DATE: 9/17/19 |  | DRILLING METHOD: AUGER/SPOON      |  |
| PROJECT TITLE: United Tire Service                       |  |               |  | DRILLING COMPANY: Garber          |  |
| PROJECT LOCATION:<br>4094 Chestnut Street<br>Emmaus,, PA |  |               |  | BOREHOLE DIAMETER (IN):<br>8 inch |  |
|                                                          |  |               |  | WATER LEVEL (FT):                 |  |
|                                                          |  |               |  | WEATHER CONDITIONS:<br>dry, hot   |  |
|                                                          |  |               |  | LOGGED BY:<br>jvw                 |  |


| DEPTH<br>(FT) | LITHOLOGIC DESCRIPTION                                          | PID                                                                                 | SAMPLE | COMMENTS                                               |
|---------------|-----------------------------------------------------------------|-------------------------------------------------------------------------------------|--------|--------------------------------------------------------|
| 0             | Asphalt                                                         | 0                                                                                   |        | no petroleum odor/staining                             |
| —             | Black gravel and silty clay                                     | 0                                                                                   |        | PID readings from auger cuttings                       |
| 6             |                                                                 | 0.8                                                                                 |        |                                                        |
| —             |                                                                 |                                                                                     |        |                                                        |
| 12            | Moist to dry, brown silty clay with some small limestone gravel | 1.7                                                                                 |        |                                                        |
| —             |                                                                 |                                                                                     |        |                                                        |
| 18            |                                                                 | 1142<br>338<br>2980<br>1248<br>3950<br>1898<br>2875<br>2882<br>2169<br>2762<br>3142 | @19'   | spoons 17 to 31', strong petroleum odor from 17 to 27' |
| —             |                                                                 | 855<br>3982<br>2370<br>589<br>319<br>190<br>704<br>70<br>157<br>57                  | @25'   |                                                        |
| 24            | same lithology                                                  |                                                                                     |        |                                                        |
| —             |                                                                 |                                                                                     |        |                                                        |
| 30            |                                                                 |                                                                                     | @31'   | slight petroleum odor                                  |
| —             |                                                                 |                                                                                     |        |                                                        |
| 36            |                                                                 |                                                                                     |        |                                                        |
| —             |                                                                 |                                                                                     |        |                                                        |
| 42            |                                                                 | 92<br>203<br>130                                                                    |        | spoon 40-42' no odor/stain                             |
| —             |                                                                 |                                                                                     |        |                                                        |
| 48            | same lithology                                                  | 98<br>68<br>98                                                                      | @50'   | spoon 48 -50', no petroleum odor                       |
| —             |                                                                 |                                                                                     |        |                                                        |
| 54            |                                                                 | 51<br>59<br>37                                                                      |        | spoon 55 -57', no petroleum odor/stain                 |
| —             | end boring                                                      |                                                                                     |        |                                                        |
| 60            |                                                                 |                                                                                     |        | Drum cont. cuttings, Tremie grout borehole void        |



| COVENTRY ENVIRONMENTAL ASSOCIATES, INC.               |                                                                 |               |        | BORING NO: SB-13                                |  |
|-------------------------------------------------------|-----------------------------------------------------------------|---------------|--------|-------------------------------------------------|--|
| DRILLING LOG                                          |                                                                 |               |        |                                                 |  |
| PROJECT NO: WACHTER--002                              |                                                                 | DATE: 9/18/19 |        | DRILLING METHOD: AUGER/SPOON                    |  |
| PROJECT TITLE: United Tire Service                    |                                                                 |               |        | DRILLING COMPANY: Garber                        |  |
| PROJECT LOCATION: 4094 Chestnut Street<br>Emmaus,, PA |                                                                 |               |        | BOREHOLE DIAMETER (IN): 8 inch                  |  |
|                                                       |                                                                 |               |        | WATER LEVEL (FT):                               |  |
|                                                       |                                                                 |               |        | WEATHER CONDITIONS: clear, warm                 |  |
|                                                       |                                                                 |               |        | LOGGED BY: jvw                                  |  |
| DEPTH (FT)                                            | LITHOLOGIC DESCRIPTION                                          | PID           | SAMPLE | COMMENTS                                        |  |
| 0                                                     | Backfill gravel                                                 | 0             |        | no petroleum odor/staining                      |  |
| —                                                     |                                                                 | 1.4           |        | PID readings from auger cuttings                |  |
| 6                                                     | Moist to dry, brown silty clay with some small limestone gravel | 2.8           |        |                                                 |  |
| —                                                     |                                                                 | 0.3           |        |                                                 |  |
| —                                                     |                                                                 | 0.9           |        |                                                 |  |
| 12                                                    |                                                                 |               |        |                                                 |  |
| —                                                     |                                                                 | 6.1           |        | spoons 14 to 16', no petroleum odor/stain       |  |
| —                                                     |                                                                 | 2             |        |                                                 |  |
| —                                                     |                                                                 | 3.1           |        |                                                 |  |
| 18                                                    |                                                                 |               |        |                                                 |  |
| —                                                     | same lithology                                                  | 2.3           | @ 21'  | spoons 20 - 24', no odor/stain                  |  |
| —                                                     |                                                                 | 9.4           |        |                                                 |  |
| —                                                     |                                                                 | 0.5           |        |                                                 |  |
| 24                                                    |                                                                 | 0.4           |        |                                                 |  |
| —                                                     |                                                                 | 0.2           |        |                                                 |  |
| —                                                     |                                                                 | 0.7           |        |                                                 |  |
| 30                                                    |                                                                 | 0             |        | PID readings from auger cuttings                |  |
| —                                                     |                                                                 | 0.3           |        |                                                 |  |
| 36                                                    |                                                                 | 0.4           |        |                                                 |  |
| —                                                     |                                                                 | 0.7           |        |                                                 |  |
| 42                                                    |                                                                 | 0             |        |                                                 |  |
| —                                                     |                                                                 | 3.5           |        |                                                 |  |
| 48                                                    | same lithology                                                  | 46            |        | spoon 50 -52', no petroleum odor                |  |
| —                                                     | end boring                                                      | 52            | @52'   |                                                 |  |
| 54                                                    |                                                                 | 74            |        |                                                 |  |
| —                                                     |                                                                 |               |        | Drum cont. cuttings, Tremie grout borehole void |  |
| 60                                                    |                                                                 |               |        |                                                 |  |



| COVENTRY ENVIRONMENTAL ASSOCIATES, INC.                  |                                                                 |                |        | BORING NO:<br>SB-14                             |                                  |  |  |
|----------------------------------------------------------|-----------------------------------------------------------------|----------------|--------|-------------------------------------------------|----------------------------------|--|--|
| DRILLING LOG                                             |                                                                 |                |        |                                                 |                                  |  |  |
| PROJECT NO: WACHTER--002                                 |                                                                 | DATE: 9/18/19  |        | DRILLING METHOD: AUGER/SPOON                    |                                  |  |  |
| PROJECT TITLE: United Tire Service                       |                                                                 |                |        | DRILLING COMPANY: Garber                        |                                  |  |  |
| PROJECT LOCATION:<br>4094 Chestnut Street<br>Emmaus,, PA |                                                                 |                |        | BOREHOLE DIAMETER (IN):<br>8 inch               |                                  |  |  |
|                                                          |                                                                 |                |        | WATER LEVEL (FT):                               |                                  |  |  |
|                                                          |                                                                 |                |        | WEATHER CONDITIONS:<br>clear, warm              |                                  |  |  |
|                                                          |                                                                 |                |        | LOGGED BY:<br>jyw                               |                                  |  |  |
| DEPTH<br>(FT)                                            | LITHOLOGIC DESCRIPTION                                          | PID            | SAMPLE | COMMENTS                                        |                                  |  |  |
| 0                                                        | Moist to dry, brown silty clay with some small limestone gravel | 0              |        | no petroleum odor/staining                      |                                  |  |  |
| —                                                        |                                                                 | 1.2            |        | PID readings from auger cuttings                |                                  |  |  |
| 6                                                        |                                                                 | 0.7            |        |                                                 |                                  |  |  |
| —                                                        |                                                                 | 0.6            |        |                                                 |                                  |  |  |
| 12                                                       |                                                                 | 0.3            |        |                                                 |                                  |  |  |
| —                                                        |                                                                 | 0.2            |        |                                                 |                                  |  |  |
| 18                                                       |                                                                 | same lithology | 2      | @ 21'                                           | spoon 20 - 22', no odor/stain    |  |  |
| —                                                        |                                                                 |                | 3.3    |                                                 |                                  |  |  |
| 24                                                       |                                                                 |                | 1.7    |                                                 |                                  |  |  |
| —                                                        |                                                                 |                | 1.6    |                                                 |                                  |  |  |
| 30                                                       | 2                                                               |                |        |                                                 |                                  |  |  |
| —                                                        | 0.7                                                             |                |        |                                                 | PID readings from auger cuttings |  |  |
| 36                                                       | 4                                                               |                |        |                                                 |                                  |  |  |
| —                                                        | 6.7                                                             |                |        |                                                 |                                  |  |  |
| 42                                                       | 3.2                                                             |                |        |                                                 |                                  |  |  |
| —                                                        | 4                                                               |                |        |                                                 |                                  |  |  |
| 48                                                       | same lithology<br><br>end boring                                | 0.4            |        |                                                 |                                  |  |  |
| —                                                        |                                                                 | 5              |        |                                                 |                                  |  |  |
| 54                                                       |                                                                 | 15.1           | @ 52'  | spoon 50 -52', no petroleum odor                |                                  |  |  |
| —                                                        |                                                                 | 17.5           |        |                                                 |                                  |  |  |
| 60                                                       |                                                                 | 19.2           |        |                                                 |                                  |  |  |
| —                                                        |                                                                 |                |        |                                                 |                                  |  |  |
|                                                          |                                                                 |                |        | Drum cont. cuttings, Tremie grout borehole void |                                  |  |  |



COVENTRY ENVIRONMENTAL ASSOCIATES, INC.  
DRILLING LOG

BORING NO:  
mw-1

|                                                                            |                                           |                                |
|----------------------------------------------------------------------------|-------------------------------------------|--------------------------------|
| PROJECT NO:<br>UTS-02                                                      | DATE:<br>4/15/19                          | DRILLING METHOD:<br>air rotary |
| PROJECT TITLE:<br>United Tire Service                                      | DRILLING COMPANY:<br>Garber well drilling |                                |
| PROJECT LOCATION:<br>United Tire Service<br>4094 Chestnut St<br>Emmaus, PA | BOREHOLE DIAMETER (IN):<br>8              | WATER LEVEL (FT):              |
|                                                                            | WEATHER CONDITIONS:<br>dry, warm          | LOGGED BY:<br>jvw              |

| DEPTH<br>(FT) | LITHOLOGIC DESCRIPTION    | well<br>design | PID | COMMENTS                                                                                                                                                  |
|---------------|---------------------------|----------------|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| 0             | tan, silty clay, dry      |                | 0   | no petroleum odor                                                                                                                                         |
| —             |                           |                |     |                                                                                                                                                           |
| 10            |                           |                | 360 | moderate petroleum odor                                                                                                                                   |
| —             |                           |                | 443 |                                                                                                                                                           |
| 20            |                           |                | 221 |                                                                                                                                                           |
| —             |                           |                |     |                                                                                                                                                           |
| —             | same lithology, moist     |                | 26  | slight petroleum odor                                                                                                                                     |
| —             |                           |                |     |                                                                                                                                                           |
| 30            |                           |                | 1   | no petroleum odor                                                                                                                                         |
| —             |                           |                |     |                                                                                                                                                           |
| 40            |                           |                |     |                                                                                                                                                           |
| —             | - same lithology, moist   |                | 0   | no petroleum odor                                                                                                                                         |
| 50            | - end boring @ 50.8 feet. |                |     | well construction:<br>50 feet total well depth<br>surface flush manhole<br>2 inch diameter<br>40 feet solid casing (tremie grout)<br>10 feet 0.02" screen |
| —             |                           |                |     |                                                                                                                                                           |
| 60            |                           |                |     |                                                                                                                                                           |
| —             |                           |                |     |                                                                                                                                                           |
| 70            |                           |                |     |                                                                                                                                                           |
| —             |                           |                |     |                                                                                                                                                           |
| 80            |                           |                |     |                                                                                                                                                           |
| —             |                           |                |     |                                                                                                                                                           |
| 90            |                           |                |     |                                                                                                                                                           |
| —             |                           |                |     |                                                                                                                                                           |
| 100           |                           |                |     |                                                                                                                                                           |



6/3/2020 12:53:37 PM

## COVENTRY ENVIRONMENTAL ASSOCIATES, INC.

BORING NO:  
mw-2

## DRILLING LOG


|                                                                            |                                           |                                |
|----------------------------------------------------------------------------|-------------------------------------------|--------------------------------|
| PROJECT NO:<br>UTS-02                                                      | DATE:<br>4/15/19                          | DRILLING METHOD:<br>air rotary |
| PROJECT TITLE:<br>United Tire Service                                      | DRILLING COMPANY:<br>Garber well drilling |                                |
| PROJECT LOCATION:<br>United Tire Service<br>4094 Chestnut St<br>Emmaus, PA | BOREHOLE DIAMETER (IN):<br>8              | WATER LEVEL (FT):              |
|                                                                            | WEATHER CONDITIONS:<br>dry, warm          | LOGGED BY:<br>jvw              |


| DEPTH<br>(FT) | LITHOLOGIC DESCRIPTION  | well<br>design | PID | COMMENTS                                                                                                                                                  |
|---------------|-------------------------|----------------|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| 0             | tan, silty clay, dry    |                | 0   | no petroleum odor                                                                                                                                         |
| —             |                         |                | 0.2 |                                                                                                                                                           |
| 10            |                         |                | 25  | slight petroleum odor                                                                                                                                     |
| —             |                         |                | 3.7 | no petroleum odor                                                                                                                                         |
| 20            |                         |                | 0   | no petroleum odor                                                                                                                                         |
| —             | same lithology, moist   |                | 0   | no petroleum odor                                                                                                                                         |
| 30            |                         |                | 0   | no petroleum odor                                                                                                                                         |
| —             |                         |                | 0   | no petroleum odor                                                                                                                                         |
| 40            |                         |                | 0   | no petroleum odor                                                                                                                                         |
| —             | - same lithology, moist |                | 0   | no petroleum odor                                                                                                                                         |
| 50            | - end boring @ 50 feet. |                |     | well construction:<br>50 feet total well depth<br>surface flush manhole<br>2 inch diameter<br>40 feet solid casing (tremie grout)<br>10 feet 0.02" screen |
| —             |                         |                |     |                                                                                                                                                           |
| 60            |                         |                |     |                                                                                                                                                           |
| —             |                         |                |     |                                                                                                                                                           |
| 70            |                         |                |     |                                                                                                                                                           |
| —             |                         |                |     |                                                                                                                                                           |
| 80            |                         |                |     |                                                                                                                                                           |
| —             |                         |                |     |                                                                                                                                                           |
| 90            |                         |                |     |                                                                                                                                                           |
| —             |                         |                |     |                                                                                                                                                           |
| 100           |                         |                |     |                                                                                                                                                           |



| COVENTRY ENVIRONMENTAL ASSOCIATES, INC.<br>DRILLING LOG                    |  |                  |  | BORING NO:<br>mw-3                        |                   |
|----------------------------------------------------------------------------|--|------------------|--|-------------------------------------------|-------------------|
| PROJECT NO:<br>UTS-02                                                      |  | DATE:<br>4/15/19 |  | DRILLING METHOD:<br>air rotary            |                   |
| PROJECT TITLE:<br>United Tire Service                                      |  |                  |  | DRILLING COMPANY:<br>Garber well drilling |                   |
| PROJECT LOCATION:<br>United Tire Service<br>4094 Chestnut St<br>Emmaus, PA |  |                  |  | BOREHOLE DIAMETER (IN):<br>8              | WATER LEVEL (FT): |
|                                                                            |  |                  |  | WEATHER CONDITIONS:<br>dry, warm          | LOGGED BY:<br>jvw |

| DEPTH<br>(FT) | LITHOLOGIC DESCRIPTION                             | well<br>design                                                                     | PID | COMMENTS                                                                                                                                                  |
|---------------|----------------------------------------------------|------------------------------------------------------------------------------------|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| 0             | tan, silty clay, dry                               |  | 0   | no petroleum odor                                                                                                                                         |
| 10            |                                                    |                                                                                    | 0   |                                                                                                                                                           |
| 20            |                                                    |                                                                                    | 0   | no petroleum odor                                                                                                                                         |
| 30            | same lithology, moist                              |                                                                                    | 0   | no petroleum odor                                                                                                                                         |
| 40            |                                                    |                                                                                    | 0   | no petroleum odor                                                                                                                                         |
| 50            | - same lithology, moist<br>- end boring @ 50 feet. |                                                                                    | 0   | no petroleum odor                                                                                                                                         |
| 60            |                                                    |                                                                                    |     | well construction:<br>50 feet total well depth<br>surface flush manhole<br>2 inch diameter<br>40 feet solid casing (tremie grout)<br>10 feet 0.02" screen |
| 70            |                                                    |                                                                                    |     |                                                                                                                                                           |
| 80            |                                                    |                                                                                    |     |                                                                                                                                                           |
| 90            |                                                    |                                                                                    |     |                                                                                                                                                           |
| 100           |                                                    |                                                                                    |     |                                                                                                                                                           |



COVENTRY ENVIRONMENTAL ASSOCIATES, INC.  
DRILLING LOG

BORING NO:  
mw-4

PROJECT NO:  
UTS-02

DATE:  
8/26/19

DRILLING METHOD: Air Rotary/Auger

PROJECT TITLE: United Tire Service

DRILLING COMPANY: Garber well drilling

PROJECT LOCATION:  
United Tire Service  
4094 Chestnut St  
Emmaus, PA

BOREHOLE DIAMETER (IN):  
8

WATER LEVEL (FT):

WEATHER CONDITIONS:  
dry, warm

LOGGED BY:  
jvw

| DEPTH (FT) | LITHOLOGIC DESCRIPTION                | well design | PID | COMMENTS                                                                                                                                                  |
|------------|---------------------------------------|-------------|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| 0          | tan, silty clay, dry                  |             |     | Air rotary to 16 feet                                                                                                                                     |
| 10         |                                       |             |     |                                                                                                                                                           |
| 20         | same lithology, moist, some LS gravel |             |     | spoon 16-18 ft, gravel in spoon, no recovery<br>spoon 18-20, slight petroleum odor                                                                        |
| 30         |                                       |             |     | spoons 22-32 ft, slight petroleum odor                                                                                                                    |
| 40         |                                       |             |     | spoon 35-37 ft, slight petroleum odor                                                                                                                     |
| 50         | - same lithology, moist               |             |     | spoons 40-42 ft<br>spoons 45-51 ft, slight petroleum odor                                                                                                 |
| 60         |                                       |             |     | spoon 54-56 ft, slight petroleum odor                                                                                                                     |
| 70         | - end boring @ 65 feet.               |             |     | spoon 63-65, slight petroleum odor                                                                                                                        |
| 80         |                                       |             |     | well construction:<br>65 feet total well depth<br>surface flush manhole<br>4 inch diameter<br>40 feet solid casing (tremie grout)<br>25 feet 0.02" screen |
| 90         |                                       |             |     |                                                                                                                                                           |
| 100        |                                       |             |     |                                                                                                                                                           |



| COVENTRY ENVIRONMENTAL ASSOCIATES, INC.<br>DRILLING LOG                    |  |                  |                                           | BORING NO:<br>mw-5        |
|----------------------------------------------------------------------------|--|------------------|-------------------------------------------|---------------------------|
| PROJECT NO:<br>UTS-02                                                      |  | DATE:<br>8/27/19 |                                           | DRILLING METHOD:<br>Auger |
| PROJECT TITLE:<br>United Tire Service                                      |  |                  | DRILLING COMPANY:<br>Garber well drilling |                           |
| PROJECT LOCATION:<br>United Tire Service<br>4094 Chestnut St<br>Emmaus, PA |  |                  | BOREHOLE DIAMETER (IN):<br>8              | WATER LEVEL (FT):         |
|                                                                            |  |                  | WEATHER CONDITIONS:<br>dry, warm          | LOGGED BY:<br>jvw         |

| DEPTH<br>(FT) | LITHOLOGIC DESCRIPTION                | well<br>design                                                                     | PID               | COMMENTS                                                                                                                                                   |
|---------------|---------------------------------------|------------------------------------------------------------------------------------|-------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 0             | tan, silty clay, dry                  |  | 0                 | no petroleum odor<br>- PID readings from auger cuttings                                                                                                    |
| —             |                                       |                                                                                    | 0                 |                                                                                                                                                            |
| 10            |                                       |                                                                                    | 0                 |                                                                                                                                                            |
| —             |                                       |                                                                                    | 0                 |                                                                                                                                                            |
| 20            | same lithology, moist, some LS gravel |                                                                                    | 0                 | no petroleum odor                                                                                                                                          |
| —             |                                       |                                                                                    | 0                 |                                                                                                                                                            |
| —             |                                       |                                                                                    | 0                 |                                                                                                                                                            |
| 30            |                                       |                                                                                    | 0                 | no petroleum odor                                                                                                                                          |
| —             |                                       |                                                                                    | 0                 |                                                                                                                                                            |
| 40            | - same lithology, moist               |                                                                                    | 0                 | no petroleum odor                                                                                                                                          |
| —             |                                       | 0                                                                                  |                   |                                                                                                                                                            |
| 50            |                                       | 0                                                                                  | no petroleum odor |                                                                                                                                                            |
| —             |                                       | 0                                                                                  |                   |                                                                                                                                                            |
| 60            |                                       | 0                                                                                  | no petroleum odor |                                                                                                                                                            |
| —             |                                       | 0                                                                                  |                   |                                                                                                                                                            |
| 70            | - end boring @ 65 feet.               |                                                                                    |                   |                                                                                                                                                            |
| 80            |                                       |                                                                                    |                   | well consntruction:<br>65 feet total well depth<br>surface flush manhole<br>4 inch diameter<br>40 feet solid casing (tremie grout)<br>25 feet 0.02" screen |
| 90            |                                       |                                                                                    |                   |                                                                                                                                                            |
| 100           |                                       |                                                                                    |                   |                                                                                                                                                            |



## COVENTRY ENVIRONMENTAL ASSOCIATES, INC.

BORING NO:  
mw-6

## DRILLING LOG

|                                                                            |                                           |                           |
|----------------------------------------------------------------------------|-------------------------------------------|---------------------------|
| PROJECT NO:<br>UTS-02                                                      | DATE:<br>8/28/19                          | DRILLING METHOD:<br>Auger |
| PROJECT TITLE:<br>United Tire Service                                      | DRILLING COMPANY:<br>Garber well drilling |                           |
| PROJECT LOCATION:<br>United Tire Service<br>4094 Chestnut St<br>Emmaus, PA | BOREHOLE DIAMETER (IN):<br>8              | WATER LEVEL (FT):         |
|                                                                            | WEATHER CONDITIONS:<br>dry, warm          | LOGGED BY:<br>jvw         |

| DEPTH<br>(FT) | LITHOLOGIC DESCRIPTION                | well<br>design | PID                                                              | COMMENTS                                                    |
|---------------|---------------------------------------|----------------|------------------------------------------------------------------|-------------------------------------------------------------|
| 0             | tan, silty clay, dry                  |                |                                                                  | No petroleum odor<br>PID readings from auger cuttings       |
| 10            |                                       |                |                                                                  |                                                             |
| 20            |                                       |                |                                                                  |                                                             |
| 30            | same lithology, moist, some LS gravel |                | 36<br>103<br>115 - sample 24<br>46<br>40<br>27<br>47<br>86<br>58 | spoons 23-27 ft, slight to moderate petroleum odor          |
| 40            |                                       |                | 13.4<br>18<br>6.7                                                | spoon 30-32 ft, no petroleum odor                           |
| 50            |                                       |                | 5                                                                | note:PID readings from auger cuttings between spoon samples |
| 60            |                                       |                | 2.4                                                              |                                                             |
| 70            | - same lithology, moist               |                | 0.6<br>0<br>0                                                    | spoon 45-47 ft, no petroleum odor                           |
| 80            |                                       |                |                                                                  |                                                             |
| 90            |                                       |                |                                                                  |                                                             |
| 100           | - end boring @ 65 feet.               |                |                                                                  |                                                             |



well construction:  
65 feet total well depth  
surface flush manhole  
4 inch diameter  
40 feet solid casing (tremie grout)  
25 feet 0.02" screen


## COVENTRY ENVIRONMENTAL ASSOCIATES, INC.

BORING NO:  
mw-7

## DRILLING LOG

|                                                                            |                                           |                           |
|----------------------------------------------------------------------------|-------------------------------------------|---------------------------|
| PROJECT NO:<br>UTS-02                                                      | DATE:<br>8/28/19                          | DRILLING METHOD:<br>Auger |
| PROJECT TITLE:<br>United Tire Service                                      | DRILLING COMPANY:<br>Garber well drilling |                           |
| PROJECT LOCATION:<br>United Tire Service<br>4094 Chestnut St<br>Emmaus, PA | BOREHOLE DIAMETER (IN):<br>8              | WATER LEVEL (FT):         |
|                                                                            | WEATHER CONDITIONS:<br>dry, warm          | LOGGED BY:<br>jvw         |

| DEPTH<br>(FT) | LITHOLOGIC DESCRIPTION                | well<br>design | PID | COMMENTS                                                                                                                                                  |
|---------------|---------------------------------------|----------------|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| 0             | tan, silty clay, dry                  |                |     | No petroleum odor<br>PID readings from auger cuttings                                                                                                     |
| 10            |                                       |                |     |                                                                                                                                                           |
| 20            |                                       |                |     | slight petroleum odor                                                                                                                                     |
| 30            | same lithology, moist, some LS gravel |                |     | spoon 25-29 ft, moderate petroleum odor<br>note:PID not operating                                                                                         |
| 40            |                                       |                |     |                                                                                                                                                           |
| 50            | - same lithology, moist               |                |     |                                                                                                                                                           |
| 60            |                                       |                |     |                                                                                                                                                           |
| 70            | - end boring @ 65 feet.               |                |     |                                                                                                                                                           |
| 80            |                                       |                |     | well construction:<br>65 feet total well depth<br>surface flush manhole<br>4 inch diameter<br>40 feet solid casing (tremie grout)<br>25 feet 0.02" screen |
| 90            |                                       |                |     |                                                                                                                                                           |
| 100           |                                       |                |     |                                                                                                                                                           |



COVENTRY ENVIRONMENTAL ASSOCIATES, INC.  
DRILLING LOG

BORING NO:  
mw-8

PROJECT NO:  
UTS-02

DATE:  
8/29/19

DRILLING METHOD: Auger

PROJECT TITLE: United Tire Service

DRILLING COMPANY: Garber well drilling

PROJECT LOCATION:  
United Tire Service  
4094 Chestnut St  
Emmaus, PA


BOREHOLE DIAMETER (IN):  
8

WATER LEVEL (FT):

WEATHER CONDITIONS:  
dry, warm

LOGGED BY:  
jvw

| DEPTH (FT) | LITHOLOGIC DESCRIPTION                | well design | PID  | COMMENTS                                                                                                                                                  |
|------------|---------------------------------------|-------------|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| 0          | tan, silty clay, dry                  |             |      | No petroleum odor                                                                                                                                         |
| -          |                                       |             | 0.3  | PID readings from auger cuttings                                                                                                                          |
| -          |                                       |             | 0.6  |                                                                                                                                                           |
| 10         |                                       |             | 67   | slight petroleum odor                                                                                                                                     |
| -          |                                       |             | 68   |                                                                                                                                                           |
| 20         |                                       |             | 0.3  | No petroleum odor                                                                                                                                         |
| -          | same lithology, moist, some LS gravel |             | 4.9  |                                                                                                                                                           |
| -          |                                       |             | 15.3 |                                                                                                                                                           |
| 30         |                                       |             | 5    |                                                                                                                                                           |
| ---        |                                       |             | 0.4  |                                                                                                                                                           |
| 40         |                                       |             | 39   | No petroleum odor                                                                                                                                         |
| -          | - same lithology, moist               |             | 58   |                                                                                                                                                           |
| 50         |                                       |             | 10   |                                                                                                                                                           |
| -          |                                       |             | 27   | No Petroleum odor                                                                                                                                         |
| 60         |                                       |             | 12   |                                                                                                                                                           |
| -          |                                       |             | 5    |                                                                                                                                                           |
| -          | - end boring @ 65 feet.               |             | 4    |                                                                                                                                                           |
| 70         |                                       |             |      |                                                                                                                                                           |
| -          |                                       |             |      | well construction:<br>65 feet total well depth<br>surface flush manhole<br>4 inch diameter<br>40 feet solid casing (tremie grout)<br>25 feet 0.02" screen |
| 80         |                                       |             |      |                                                                                                                                                           |
| -          |                                       |             |      |                                                                                                                                                           |
| 90         |                                       |             |      |                                                                                                                                                           |
| -          |                                       |             |      |                                                                                                                                                           |
| 100        |                                       |             |      |                                                                                                                                                           |



## COVENTRY ENVIRONMENTAL ASSOCIATES, INC.

BORING NO:  
mw-9

## DRILLING LOG

|                                                                            |                                           |                           |
|----------------------------------------------------------------------------|-------------------------------------------|---------------------------|
| PROJECT no:<br>UTS-02                                                      | DATE:<br>11/18/19                         | DRILLING METHOD:<br>Auger |
| PROJECT TITLE:<br>United Tire Service                                      | DRILLING COMPANY:<br>Garber well drilling |                           |
| PROJECT LOCATION:<br>United Tire Service<br>4094 Chestnut St<br>Emmaus, PA | BOREHOLE DIAMETER (IN):<br>8              | WATER LEVEL (FT):         |
|                                                                            | WEATHER CONDITIONS:<br>dry, cold          | LOGGED BY:<br>jvw         |

| DEPTH<br>(FT) | LITHOLOGIC DESCRIPTION                      | well<br>design | PID  | COMMENTS                                                                                                                                                 |
|---------------|---------------------------------------------|----------------|------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| 0             | tan, silty clay, dry                        |                | 0    | no petroleum odor                                                                                                                                        |
| —             |                                             |                | 0    | PID readings from auger cuttings                                                                                                                         |
| 10            |                                             |                | 0    |                                                                                                                                                          |
| —             |                                             |                | 0    | no petroleum odor                                                                                                                                        |
| 20            |                                             |                | 0    |                                                                                                                                                          |
| —             | same lithology, moist, some dolomite gravel |                | 0    | No petroleum odor                                                                                                                                        |
| 30            |                                             |                | 0    |                                                                                                                                                          |
| ---           |                                             |                | 1.3  |                                                                                                                                                          |
| 40            |                                             |                | 2.3  |                                                                                                                                                          |
| —             |                                             |                | 0.9  | No petroleum odor                                                                                                                                        |
| —             | - same lithology, moist                     |                | 11.3 |                                                                                                                                                          |
| 50            |                                             |                | 17.9 |                                                                                                                                                          |
| —             |                                             |                | 10.2 |                                                                                                                                                          |
| 60            |                                             |                | 10.4 | No Petroleum odor                                                                                                                                        |
| —             |                                             |                |      |                                                                                                                                                          |
| 70            | - end boring @ 70 feet.                     |                |      |                                                                                                                                                          |
| —             |                                             |                |      | well consruction:<br>70 feet total well depth<br>surface flush manhole<br>4 inch diameter<br>40 feet solid casing (tremie grout)<br>30 feet 0.02" screen |
| 80            |                                             |                |      |                                                                                                                                                          |
| —             |                                             |                |      |                                                                                                                                                          |
| 90            |                                             |                |      |                                                                                                                                                          |
| —             |                                             |                |      |                                                                                                                                                          |
| 100           |                                             |                |      |                                                                                                                                                          |



## COVENTRY ENVIRONMENTAL ASSOCIATES, INC.

BORING NO:  
mw-10

## DRILLING LOG

|                                                                            |                                           |                           |
|----------------------------------------------------------------------------|-------------------------------------------|---------------------------|
| PROJECT no:<br>UTS-02                                                      | DATE:<br>11/19/19                         | DRILLING METHOD:<br>Auger |
| PROJECT TITLE:<br>United Tire Service                                      | DRILLING COMPANY:<br>Garber well drilling |                           |
| PROJECT LOCATION:<br>United Tire Service<br>4094 Chestnut St<br>Emmaus, PA | BOREHOLE DIAMETER (IN):<br>8              | WATER LEVEL (FT):         |
|                                                                            | WEATHER CONDITIONS:<br>dry, cold          | LOGGED BY:<br>jvw         |

| DEPTH<br>(FT) | LITHOLOGIC DESCRIPTION                      | well<br>design | PID       | COMMENTS                                                                                                                                                 |
|---------------|---------------------------------------------|----------------|-----------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| 0             | tan, silty clay, dry                        |                | 0         | no petroleum odor                                                                                                                                        |
| —             |                                             |                | 0         | PID readings from auger cuttings                                                                                                                         |
| 10            |                                             |                | 0         |                                                                                                                                                          |
| —             |                                             |                | 0         | no petroleum odor                                                                                                                                        |
| 20            |                                             |                | 2         | spoon 20 - 22'                                                                                                                                           |
| —             | same lithology, moist, some dolomite gravel |                | 47        | no recovery, gravel blockage                                                                                                                             |
|               |                                             |                | 44        | spoons 22-26"                                                                                                                                            |
|               |                                             |                | 178 @ 24' | Slight petroleum odor                                                                                                                                    |
|               |                                             |                | 13.7      |                                                                                                                                                          |
|               |                                             |                | 6.2       | no petroleum odor                                                                                                                                        |
|               |                                             |                | 13 @ 26'  |                                                                                                                                                          |
| 30            |                                             |                | 8.8       | spoon 30-32'                                                                                                                                             |
| —             |                                             |                | 4         | no petroleum odor                                                                                                                                        |
|               |                                             |                | 10.5      |                                                                                                                                                          |
| ----          | semi-competent unit, augers penetrated      |                | 0.4       | PID readings from auger cuttings                                                                                                                         |
|               |                                             |                | 4.7       |                                                                                                                                                          |
| 40            |                                             |                | 8.5       |                                                                                                                                                          |
|               |                                             |                | 0.6       |                                                                                                                                                          |
| —             | - same lithology                            |                | 0         | No petroleum odor                                                                                                                                        |
|               |                                             |                | 0         |                                                                                                                                                          |
| 50            |                                             |                | 0         | spoon 45 -47'                                                                                                                                            |
|               |                                             |                | 0 @ 47'   | no petroleum odor                                                                                                                                        |
|               |                                             |                | 0         |                                                                                                                                                          |
| —             |                                             |                | 0         |                                                                                                                                                          |
| 60            |                                             |                | 0         |                                                                                                                                                          |
|               |                                             |                | 0         | No Petroleum odor                                                                                                                                        |
| —             |                                             |                | 0         |                                                                                                                                                          |
| 70            | - end boring @ 70 feet.                     |                |           |                                                                                                                                                          |
| —             |                                             |                |           | well consruction:<br>70 feet total well depth<br>surface flush manhole<br>4 inch diameter<br>40 feet solid casing (tremie grout)<br>30 feet 0.02" screen |
| 80            |                                             |                |           |                                                                                                                                                          |
| —             |                                             |                |           |                                                                                                                                                          |
| 90            |                                             |                |           |                                                                                                                                                          |
| —             |                                             |                |           |                                                                                                                                                          |
| 100           |                                             |                |           |                                                                                                                                                          |




## COVENTRY ENVIRONMENTAL ASSOCIATES, INC.

BORING NO:  
mw-11

## DRILLING LOG

|                                                                            |                                           |                           |
|----------------------------------------------------------------------------|-------------------------------------------|---------------------------|
| PROJECT no:<br>UTS-02                                                      | DATE:<br>11/20/19                         | DRILLING METHOD:<br>Auger |
| PROJECT TITLE:<br>United Tire Service                                      | DRILLING COMPANY:<br>Garber well drilling |                           |
| PROJECT LOCATION:<br>United Tire Service<br>4094 Chestnut St<br>Emmaus, PA | BOREHOLE DIAMETER (IN):<br>8              | WATER LEVEL (FT):         |
|                                                                            | WEATHER CONDITIONS:<br>dry, cold          | LOGGED BY:<br>jvw         |

| DEPTH<br>(FT) | LITHOLOGIC DESCRIPTION                      | well<br>design | PID     | COMMENTS                                                                                                                                                  |
|---------------|---------------------------------------------|----------------|---------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| 0             | tan, silty clay, dry                        |                | 0       | no petroleum odor                                                                                                                                         |
| —             |                                             |                | 0       | PID readings from auger cuttings                                                                                                                          |
| 10            |                                             |                | 0       |                                                                                                                                                           |
| —             |                                             |                | 0       | no petroleum odor                                                                                                                                         |
| 20            |                                             |                | 0       |                                                                                                                                                           |
| —             |                                             |                | 0       |                                                                                                                                                           |
| 30            | same lithology, moist, some dolomite gravel |                | 0       | no petroleum odor                                                                                                                                         |
| —             |                                             |                | 0       |                                                                                                                                                           |
| 40            |                                             |                | 0       |                                                                                                                                                           |
| —             |                                             |                | 0       |                                                                                                                                                           |
| 50            | - same lithology                            |                | 0       | no petroleum odor                                                                                                                                         |
| —             |                                             |                | 0       |                                                                                                                                                           |
| 60            |                                             |                | 0 @ 55' | spoon 55 -57'                                                                                                                                             |
| —             |                                             |                | 0       | limited recovery, semi competent                                                                                                                          |
| 70            | - end boring @ 70 feet.                     |                | 0       | no petroleum odor                                                                                                                                         |
| —             |                                             |                |         |                                                                                                                                                           |
| 80            |                                             |                |         | well construction:<br>70 feet total well depth<br>surface flush manhole<br>4 inch diameter<br>40 feet solid casing (tremie grout)<br>30 feet 0.02" screen |
| —             |                                             |                |         |                                                                                                                                                           |
| 90            |                                             |                |         |                                                                                                                                                           |
| —             |                                             |                |         |                                                                                                                                                           |
| 100           |                                             |                |         |                                                                                                                                                           |



## COVENTRY ENVIRONMENTAL ASSOCIATES, INC.

BORING NO:  
mw-12

## DRILLING LOG

|                                                                            |                                             |                             |                                                                                                                                                            |                                                                                                                                                                         |  |                   |  |
|----------------------------------------------------------------------------|---------------------------------------------|-----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-------------------|--|
| PROJECT no:<br>UTS-02                                                      |                                             | DATE:<br>11/21/19, 11/22/19 |                                                                                                                                                            | DRILLING METHOD:<br>Auger                                                                                                                                               |  |                   |  |
| PROJECT TITLE:<br>United Tire Service                                      |                                             |                             |                                                                                                                                                            | DRILLING COMPANY:<br>Garber well drilling                                                                                                                               |  |                   |  |
| PROJECT LOCATION:<br>United Tire Service<br>4094 Chestnut St<br>Emmaus, PA |                                             |                             |                                                                                                                                                            | BOREHOLE DIAMETER (IN):<br>8                                                                                                                                            |  | WATER LEVEL (FT): |  |
|                                                                            |                                             |                             |                                                                                                                                                            | WEATHER CONDITIONS:<br>dry, cold                                                                                                                                        |  | LOGGED BY:<br>jvw |  |
| DEPTH<br>(FT)                                                              | LITHOLOGIC DESCRIPTION                      | well<br>design              | PID                                                                                                                                                        | COMMENTS                                                                                                                                                                |  |                   |  |
| 0                                                                          | tan, silty clay, dry                        |                             | 0                                                                                                                                                          | no petroleum odor                                                                                                                                                       |  |                   |  |
| -                                                                          |                                             |                             | 0                                                                                                                                                          | PID readings from auger cuttings                                                                                                                                        |  |                   |  |
|                                                                            |                                             |                             | 0                                                                                                                                                          |                                                                                                                                                                         |  |                   |  |
| 10                                                                         |                                             |                             | 0                                                                                                                                                          |                                                                                                                                                                         |  |                   |  |
| -                                                                          |                                             |                             | 0                                                                                                                                                          | no petroleum odor                                                                                                                                                       |  |                   |  |
|                                                                            |                                             |                             | 17.1<br>1200 @ 18'<br>123<br>161<br>89                                                                                                                     | spoon 18-20<br>strong petroleum odor<br>spoon 20-22<br>poor recovery<br>moderate petroleum odor<br>spoon 22-24'<br>no recovery<br>spoon 24-28'<br>strong petroleum odor |  |                   |  |
| 20                                                                         |                                             |                             | 236<br>386<br>308<br>1125 @ 26'<br>227<br>556<br>950<br>1744                                                                                               |                                                                                                                                                                         |  |                   |  |
| -                                                                          | same lithology, moist, some dolomite gravel |                             | 962<br>2119 @ 31'<br>1983<br>120<br>744<br>561<br>306<br>681 @ 36'<br>525<br>530<br>559                                                                    | spoon 28-30'<br>no recovery<br>spoon 30-38'<br>strong petroleum odor                                                                                                    |  |                   |  |
| 30                                                                         |                                             |                             | 269<br>275<br>521<br>616 @ 41'<br>249                                                                                                                      | spoon 40-42',<br>moderate petroleum odor                                                                                                                                |  |                   |  |
| -                                                                          | - same lithology                            |                             |                                                                                                                                                            |                                                                                                                                                                         |  |                   |  |
| 40                                                                         |                                             |                             | 114<br>186<br>568 @ 54'<br>210                                                                                                                             | spoon 53-55'<br>slight to moderate petroleum odor                                                                                                                       |  |                   |  |
| -                                                                          |                                             |                             | refusal, center rod damaged, air rotary<br>and open auger well installation to 70                                                                          |                                                                                                                                                                         |  |                   |  |
| 60                                                                         |                                             |                             |                                                                                                                                                            |                                                                                                                                                                         |  |                   |  |
| -                                                                          |                                             |                             |                                                                                                                                                            |                                                                                                                                                                         |  |                   |  |
| 70                                                                         | - end boring @ 70 feet.                     |                             | well consntruction:<br>70 feet total well depth<br>surface flush manhole<br>4 inch diameter<br>40 feet solid casing (tremie grout)<br>30 feet 0.02" screen |                                                                                                                                                                         |  |                   |  |
| -                                                                          |                                             |                             |                                                                                                                                                            |                                                                                                                                                                         |  |                   |  |
| 80                                                                         |                                             |                             |                                                                                                                                                            |                                                                                                                                                                         |  |                   |  |
| -                                                                          |                                             |                             |                                                                                                                                                            |                                                                                                                                                                         |  |                   |  |
| 90                                                                         |                                             |                             |                                                                                                                                                            |                                                                                                                                                                         |  |                   |  |
| -                                                                          |                                             |                             |                                                                                                                                                            |                                                                                                                                                                         |  |                   |  |
| 100                                                                        |                                             |                             |                                                                                                                                                            |                                                                                                                                                                         |  |                   |  |



COVENTRY ENVIRONMENTAL ASSOCIATES, INC.  
DRILLING LOG

BORING NO:  
mw-13

|                                                                            |                                           |                           |
|----------------------------------------------------------------------------|-------------------------------------------|---------------------------|
| PROJECT no:<br>UTS-02                                                      | DATE:<br>1/18/20                          | DRILLING METHOD:<br>Auger |
| PROJECT TITLE:<br>United Tire Service                                      | DRILLING COMPANY:<br>Garber well drilling |                           |
| PROJECT LOCATION:<br>United Tire Service<br>4094 Chestnut St<br>Emmaus, PA | BOREHOLE DIAMETER (IN):<br>8              | WATER LEVEL (FT):         |
|                                                                            | WEATHER CONDITIONS:<br>dry, cold          | LOGGED BY:<br>jvw         |

| DEPTH<br>(FT) | LITHOLOGIC DESCRIPTION                      | well<br>design | PID     | COMMENTS                                                                                                                                                  |
|---------------|---------------------------------------------|----------------|---------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| 0             | tan, silty clay, dry                        |                | 0       | no petroleum odor                                                                                                                                         |
| —             |                                             |                | 0       | PID readings from auger cuttings                                                                                                                          |
| 10            |                                             |                | 0       |                                                                                                                                                           |
| —             |                                             |                | 0       |                                                                                                                                                           |
| 20            | same lithology, moist, some dolomite gravel |                | 0       | no petroleum odor                                                                                                                                         |
| —             |                                             |                | 0       |                                                                                                                                                           |
| 30            |                                             |                | 0       |                                                                                                                                                           |
| —             |                                             |                | 0       | no petroleum odor                                                                                                                                         |
| 40            |                                             |                | 0       |                                                                                                                                                           |
| —             | - same lithology                            |                | 0       | no petroleum odor                                                                                                                                         |
| 50            |                                             |                | 0       |                                                                                                                                                           |
| —             |                                             |                | 0       |                                                                                                                                                           |
| 60            |                                             |                | 0 @ 57' | spoon 55 -57'<br>no petroleum odor                                                                                                                        |
| —             |                                             |                | 0       |                                                                                                                                                           |
| 70            |                                             |                | 0       |                                                                                                                                                           |
| —             | - end boring @ 75 feet.                     |                | 0       | well construction:<br>75 feet total well depth<br>surface flush manhole<br>4 inch diameter<br>40 feet solid casing (tremie grout)<br>35 feet 0.02" screen |
| 80            |                                             |                |         |                                                                                                                                                           |
| —             |                                             |                |         |                                                                                                                                                           |
| 90            |                                             |                |         |                                                                                                                                                           |
| —             |                                             |                |         |                                                                                                                                                           |
| 100           |                                             |                |         |                                                                                                                                                           |



## COVENTRY ENVIRONMENTAL ASSOCIATES, INC.

BORING NO:  
mw-14

## DRILLING LOG

|                                                                            |                                           |                           |
|----------------------------------------------------------------------------|-------------------------------------------|---------------------------|
| PROJECT no:<br>UTS-02                                                      | DATE:<br>1/19/20                          | DRILLING METHOD:<br>Auger |
| PROJECT TITLE:<br>United Tire Service                                      | DRILLING COMPANY:<br>Garber well drilling |                           |
| PROJECT LOCATION:<br>United Tire Service<br>4094 Chestnut St<br>Emmaus, PA | BOREHOLE DIAMETER (IN):<br>8              | WATER LEVEL (FT):         |
|                                                                            | WEATHER CONDITIONS:<br>dry, cold          | LOGGED BY:<br>jvw         |

| DEPTH<br>(FT) | LITHOLOGIC DESCRIPTION                      | well<br>design | PID     | COMMENTS                                                                                                                                                  |
|---------------|---------------------------------------------|----------------|---------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| 0             | tan, silty clay, dry                        |                | 0       | no petroleum odor                                                                                                                                         |
| —             |                                             |                | 0       | PID readings from auger cuttings                                                                                                                          |
| 10            |                                             |                | 0       |                                                                                                                                                           |
| —             |                                             |                | 0       |                                                                                                                                                           |
| 20            | same lithology, moist, some dolomite gravel |                | 0       | no petroleum odor                                                                                                                                         |
| —             |                                             |                | 0       |                                                                                                                                                           |
| 30            |                                             |                | 0       |                                                                                                                                                           |
| —             |                                             |                | 0       |                                                                                                                                                           |
| 40            |                                             |                | 0       | no petroleum odor                                                                                                                                         |
| —             | - same lithology                            |                | 0       |                                                                                                                                                           |
| 50            |                                             |                | 0       |                                                                                                                                                           |
| —             |                                             |                | 0       |                                                                                                                                                           |
| 60            |                                             |                | 0       | spoon 55 -57'                                                                                                                                             |
| —             |                                             |                | 0 @ 57' | no petroleum odor                                                                                                                                         |
| 70            |                                             |                | 0       |                                                                                                                                                           |
| —             | - end boring @ 75 feet.                     |                | 0       |                                                                                                                                                           |
| 80            |                                             |                |         | well construction:<br>75 feet total well depth<br>surface flush manhole<br>4 inch diameter<br>40 feet solid casing (tremie grout)<br>35 feet 0.02" screen |
| 90            |                                             |                |         |                                                                                                                                                           |
| —             |                                             |                |         |                                                                                                                                                           |
| 100           |                                             |                |         |                                                                                                                                                           |



## COVENTRY ENVIRONMENTAL ASSOCIATES, INC.

BORING NO:  
mw-15

## DRILLING LOG

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                             |                  |                       |                                                                                                                                                            |  |                   |               |                        |                |     |          |  |  |   |                      |  |   |                   |  |  |   |  |   |                                  |  |  |    |  |   |  |  |  |   |  |   |  |  |  |    |                                             |   |                   |  |  |   |  |   |  |  |  |    |  |   |  |  |  |   |  |   |                   |  |  |    |  |   |                   |  |  |   |                  |   |  |  |  |    |  |  |   |  |  |  |   |  |                       |               |  |  |    |  |   |                   |  |  |   |  |   |  |  |  |    |  |   |  |  |  |   |                         |   |                                                                                                                                                            |  |  |    |  |  |  |  |  |   |  |  |  |  |    |  |  |  |  |   |  |  |  |  |     |  |  |  |  |  |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|------------------|-----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-------------------|---------------|------------------------|----------------|-----|----------|--|--|---|----------------------|--|---|-------------------|--|--|---|--|---|----------------------------------|--|--|----|--|---|--|--|--|---|--|---|--|--|--|----|---------------------------------------------|---|-------------------|--|--|---|--|---|--|--|--|----|--|---|--|--|--|---|--|---|-------------------|--|--|----|--|---|-------------------|--|--|---|------------------|---|--|--|--|----|--|--|---|--|--|--|---|--|-----------------------|---------------|--|--|----|--|---|-------------------|--|--|---|--|---|--|--|--|----|--|---|--|--|--|---|-------------------------|---|------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|----|--|--|--|--|--|---|--|--|--|--|----|--|--|--|--|---|--|--|--|--|-----|--|--|--|--|--|--|
| PROJECT no:<br>UTS-02                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                             | DATE:<br>1/20/20 |                       | DRILLING METHOD:<br>Auger                                                                                                                                  |  |                   |               |                        |                |     |          |  |  |   |                      |  |   |                   |  |  |   |  |   |                                  |  |  |    |  |   |  |  |  |   |  |   |  |  |  |    |                                             |   |                   |  |  |   |  |   |  |  |  |    |  |   |  |  |  |   |  |   |                   |  |  |    |  |   |                   |  |  |   |                  |   |  |  |  |    |  |  |   |  |  |  |   |  |                       |               |  |  |    |  |   |                   |  |  |   |  |   |  |  |  |    |  |   |  |  |  |   |                         |   |                                                                                                                                                            |  |  |    |  |  |  |  |  |   |  |  |  |  |    |  |  |  |  |   |  |  |  |  |     |  |  |  |  |  |  |
| PROJECT TITLE:<br>United Tire Service                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                             |                  |                       | DRILLING COMPANY:<br>Garber well drilling                                                                                                                  |  |                   |               |                        |                |     |          |  |  |   |                      |  |   |                   |  |  |   |  |   |                                  |  |  |    |  |   |  |  |  |   |  |   |  |  |  |    |                                             |   |                   |  |  |   |  |   |  |  |  |    |  |   |  |  |  |   |  |   |                   |  |  |    |  |   |                   |  |  |   |                  |   |  |  |  |    |  |  |   |  |  |  |   |  |                       |               |  |  |    |  |   |                   |  |  |   |  |   |  |  |  |    |  |   |  |  |  |   |                         |   |                                                                                                                                                            |  |  |    |  |  |  |  |  |   |  |  |  |  |    |  |  |  |  |   |  |  |  |  |     |  |  |  |  |  |  |
| PROJECT LOCATION:<br>United Tire Service<br>4094 Chestnut St<br>Emmaus, PA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                             |                  |                       | BOREHOLE DIAMETER (IN):<br>8                                                                                                                               |  | WATER LEVEL (FT): |               |                        |                |     |          |  |  |   |                      |  |   |                   |  |  |   |  |   |                                  |  |  |    |  |   |  |  |  |   |  |   |  |  |  |    |                                             |   |                   |  |  |   |  |   |  |  |  |    |  |   |  |  |  |   |  |   |                   |  |  |    |  |   |                   |  |  |   |                  |   |  |  |  |    |  |  |   |  |  |  |   |  |                       |               |  |  |    |  |   |                   |  |  |   |  |   |  |  |  |    |  |   |  |  |  |   |                         |   |                                                                                                                                                            |  |  |    |  |  |  |  |  |   |  |  |  |  |    |  |  |  |  |   |  |  |  |  |     |  |  |  |  |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                             |                  |                       | WEATHER CONDITIONS:<br>dry, cold                                                                                                                           |  | LOGGED BY:<br>jvw |               |                        |                |     |          |  |  |   |                      |  |   |                   |  |  |   |  |   |                                  |  |  |    |  |   |  |  |  |   |  |   |  |  |  |    |                                             |   |                   |  |  |   |  |   |  |  |  |    |  |   |  |  |  |   |  |   |                   |  |  |    |  |   |                   |  |  |   |                  |   |  |  |  |    |  |  |   |  |  |  |   |  |                       |               |  |  |    |  |   |                   |  |  |   |  |   |  |  |  |    |  |   |  |  |  |   |                         |   |                                                                                                                                                            |  |  |    |  |  |  |  |  |   |  |  |  |  |    |  |  |  |  |   |  |  |  |  |     |  |  |  |  |  |  |
| <table><tr><td>DEPTH<br/>(FT)</td><td>LITHOLOGIC DESCRIPTION</td><td>well<br/>design</td><td>PID</td><td colspan="3">COMMENTS</td></tr><tr><td>0</td><td>tan, silty clay, dry</td><td rowspan="10"></td><td>0</td><td colspan="3">no petroleum odor</td></tr><tr><td>—</td><td></td><td>0</td><td colspan="3">PID readings from auger cuttings</td></tr><tr><td>10</td><td></td><td>0</td><td colspan="3"></td></tr><tr><td>—</td><td></td><td>0</td><td colspan="3"></td></tr><tr><td>20</td><td>same lithology, moist, some dolomite gravel</td><td>0</td><td colspan="3">no petroleum odor</td></tr><tr><td>—</td><td></td><td>0</td><td colspan="3"></td></tr><tr><td>30</td><td></td><td>0</td><td colspan="3"></td></tr><tr><td>—</td><td></td><td>0</td><td colspan="3">no petroleum odor</td></tr><tr><td>40</td><td></td><td>0</td><td colspan="3">no petroleum odor</td></tr><tr><td>—</td><td>- same lithology</td><td>0</td><td colspan="3"></td></tr><tr><td>50</td><td></td><td rowspan="10"></td><td>0</td><td colspan="3"></td></tr><tr><td>—</td><td></td><td>0.4<br/>0<br/>0.8 @ 57'</td><td colspan="3">spoon 55 -57'</td></tr><tr><td>60</td><td></td><td>0</td><td colspan="3">no petroleum odor</td></tr><tr><td>—</td><td></td><td>0</td><td colspan="3"></td></tr><tr><td>70</td><td></td><td>0</td><td colspan="3"></td></tr><tr><td>—</td><td>- end boring @ 75 feet.</td><td>0</td><td colspan="3">well consntruction:<br/>75 feet total well depth<br/>surface flush manhole<br/>4 inch diameter<br/>40 feet solid casing (tremie grout)<br/>35 feet 0.02" screen</td></tr><tr><td>80</td><td rowspan="4"></td><td></td><td colspan="3"></td></tr><tr><td>—</td><td></td><td colspan="3"></td></tr><tr><td>90</td><td></td><td colspan="3"></td></tr><tr><td>—</td><td></td><td colspan="3"></td></tr><tr><td>100</td><td></td><td></td><td></td><td colspan="3"></td></tr></table> |                                             |                  |                       |                                                                                                                                                            |  |                   | DEPTH<br>(FT) | LITHOLOGIC DESCRIPTION | well<br>design | PID | COMMENTS |  |  | 0 | tan, silty clay, dry |  | 0 | no petroleum odor |  |  | — |  | 0 | PID readings from auger cuttings |  |  | 10 |  | 0 |  |  |  | — |  | 0 |  |  |  | 20 | same lithology, moist, some dolomite gravel | 0 | no petroleum odor |  |  | — |  | 0 |  |  |  | 30 |  | 0 |  |  |  | — |  | 0 | no petroleum odor |  |  | 40 |  | 0 | no petroleum odor |  |  | — | - same lithology | 0 |  |  |  | 50 |  |  | 0 |  |  |  | — |  | 0.4<br>0<br>0.8 @ 57' | spoon 55 -57' |  |  | 60 |  | 0 | no petroleum odor |  |  | — |  | 0 |  |  |  | 70 |  | 0 |  |  |  | — | - end boring @ 75 feet. | 0 | well consntruction:<br>75 feet total well depth<br>surface flush manhole<br>4 inch diameter<br>40 feet solid casing (tremie grout)<br>35 feet 0.02" screen |  |  | 80 |  |  |  |  |  | — |  |  |  |  | 90 |  |  |  |  | — |  |  |  |  | 100 |  |  |  |  |  |  |
| DEPTH<br>(FT)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | LITHOLOGIC DESCRIPTION                      | well<br>design   | PID                   | COMMENTS                                                                                                                                                   |  |                   |               |                        |                |     |          |  |  |   |                      |  |   |                   |  |  |   |  |   |                                  |  |  |    |  |   |  |  |  |   |  |   |  |  |  |    |                                             |   |                   |  |  |   |  |   |  |  |  |    |  |   |  |  |  |   |  |   |                   |  |  |    |  |   |                   |  |  |   |                  |   |  |  |  |    |  |  |   |  |  |  |   |  |                       |               |  |  |    |  |   |                   |  |  |   |  |   |  |  |  |    |  |   |  |  |  |   |                         |   |                                                                                                                                                            |  |  |    |  |  |  |  |  |   |  |  |  |  |    |  |  |  |  |   |  |  |  |  |     |  |  |  |  |  |  |
| 0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | tan, silty clay, dry                        |                  | 0                     | no petroleum odor                                                                                                                                          |  |                   |               |                        |                |     |          |  |  |   |                      |  |   |                   |  |  |   |  |   |                                  |  |  |    |  |   |  |  |  |   |  |   |  |  |  |    |                                             |   |                   |  |  |   |  |   |  |  |  |    |  |   |  |  |  |   |  |   |                   |  |  |    |  |   |                   |  |  |   |                  |   |  |  |  |    |  |  |   |  |  |  |   |  |                       |               |  |  |    |  |   |                   |  |  |   |  |   |  |  |  |    |  |   |  |  |  |   |                         |   |                                                                                                                                                            |  |  |    |  |  |  |  |  |   |  |  |  |  |    |  |  |  |  |   |  |  |  |  |     |  |  |  |  |  |  |
| —                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                             |                  | 0                     | PID readings from auger cuttings                                                                                                                           |  |                   |               |                        |                |     |          |  |  |   |                      |  |   |                   |  |  |   |  |   |                                  |  |  |    |  |   |  |  |  |   |  |   |  |  |  |    |                                             |   |                   |  |  |   |  |   |  |  |  |    |  |   |  |  |  |   |  |   |                   |  |  |    |  |   |                   |  |  |   |                  |   |  |  |  |    |  |  |   |  |  |  |   |  |                       |               |  |  |    |  |   |                   |  |  |   |  |   |  |  |  |    |  |   |  |  |  |   |                         |   |                                                                                                                                                            |  |  |    |  |  |  |  |  |   |  |  |  |  |    |  |  |  |  |   |  |  |  |  |     |  |  |  |  |  |  |
| 10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                             |                  | 0                     |                                                                                                                                                            |  |                   |               |                        |                |     |          |  |  |   |                      |  |   |                   |  |  |   |  |   |                                  |  |  |    |  |   |  |  |  |   |  |   |  |  |  |    |                                             |   |                   |  |  |   |  |   |  |  |  |    |  |   |  |  |  |   |  |   |                   |  |  |    |  |   |                   |  |  |   |                  |   |  |  |  |    |  |  |   |  |  |  |   |  |                       |               |  |  |    |  |   |                   |  |  |   |  |   |  |  |  |    |  |   |  |  |  |   |                         |   |                                                                                                                                                            |  |  |    |  |  |  |  |  |   |  |  |  |  |    |  |  |  |  |   |  |  |  |  |     |  |  |  |  |  |  |
| —                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                             |                  | 0                     |                                                                                                                                                            |  |                   |               |                        |                |     |          |  |  |   |                      |  |   |                   |  |  |   |  |   |                                  |  |  |    |  |   |  |  |  |   |  |   |  |  |  |    |                                             |   |                   |  |  |   |  |   |  |  |  |    |  |   |  |  |  |   |  |   |                   |  |  |    |  |   |                   |  |  |   |                  |   |  |  |  |    |  |  |   |  |  |  |   |  |                       |               |  |  |    |  |   |                   |  |  |   |  |   |  |  |  |    |  |   |  |  |  |   |                         |   |                                                                                                                                                            |  |  |    |  |  |  |  |  |   |  |  |  |  |    |  |  |  |  |   |  |  |  |  |     |  |  |  |  |  |  |
| 20                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | same lithology, moist, some dolomite gravel |                  | 0                     | no petroleum odor                                                                                                                                          |  |                   |               |                        |                |     |          |  |  |   |                      |  |   |                   |  |  |   |  |   |                                  |  |  |    |  |   |  |  |  |   |  |   |  |  |  |    |                                             |   |                   |  |  |   |  |   |  |  |  |    |  |   |  |  |  |   |  |   |                   |  |  |    |  |   |                   |  |  |   |                  |   |  |  |  |    |  |  |   |  |  |  |   |  |                       |               |  |  |    |  |   |                   |  |  |   |  |   |  |  |  |    |  |   |  |  |  |   |                         |   |                                                                                                                                                            |  |  |    |  |  |  |  |  |   |  |  |  |  |    |  |  |  |  |   |  |  |  |  |     |  |  |  |  |  |  |
| —                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                             |                  | 0                     |                                                                                                                                                            |  |                   |               |                        |                |     |          |  |  |   |                      |  |   |                   |  |  |   |  |   |                                  |  |  |    |  |   |  |  |  |   |  |   |  |  |  |    |                                             |   |                   |  |  |   |  |   |  |  |  |    |  |   |  |  |  |   |  |   |                   |  |  |    |  |   |                   |  |  |   |                  |   |  |  |  |    |  |  |   |  |  |  |   |  |                       |               |  |  |    |  |   |                   |  |  |   |  |   |  |  |  |    |  |   |  |  |  |   |                         |   |                                                                                                                                                            |  |  |    |  |  |  |  |  |   |  |  |  |  |    |  |  |  |  |   |  |  |  |  |     |  |  |  |  |  |  |
| 30                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                             |                  | 0                     |                                                                                                                                                            |  |                   |               |                        |                |     |          |  |  |   |                      |  |   |                   |  |  |   |  |   |                                  |  |  |    |  |   |  |  |  |   |  |   |  |  |  |    |                                             |   |                   |  |  |   |  |   |  |  |  |    |  |   |  |  |  |   |  |   |                   |  |  |    |  |   |                   |  |  |   |                  |   |  |  |  |    |  |  |   |  |  |  |   |  |                       |               |  |  |    |  |   |                   |  |  |   |  |   |  |  |  |    |  |   |  |  |  |   |                         |   |                                                                                                                                                            |  |  |    |  |  |  |  |  |   |  |  |  |  |    |  |  |  |  |   |  |  |  |  |     |  |  |  |  |  |  |
| —                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                             |                  | 0                     | no petroleum odor                                                                                                                                          |  |                   |               |                        |                |     |          |  |  |   |                      |  |   |                   |  |  |   |  |   |                                  |  |  |    |  |   |  |  |  |   |  |   |  |  |  |    |                                             |   |                   |  |  |   |  |   |  |  |  |    |  |   |  |  |  |   |  |   |                   |  |  |    |  |   |                   |  |  |   |                  |   |  |  |  |    |  |  |   |  |  |  |   |  |                       |               |  |  |    |  |   |                   |  |  |   |  |   |  |  |  |    |  |   |  |  |  |   |                         |   |                                                                                                                                                            |  |  |    |  |  |  |  |  |   |  |  |  |  |    |  |  |  |  |   |  |  |  |  |     |  |  |  |  |  |  |
| 40                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                             |                  | 0                     | no petroleum odor                                                                                                                                          |  |                   |               |                        |                |     |          |  |  |   |                      |  |   |                   |  |  |   |  |   |                                  |  |  |    |  |   |  |  |  |   |  |   |  |  |  |    |                                             |   |                   |  |  |   |  |   |  |  |  |    |  |   |  |  |  |   |  |   |                   |  |  |    |  |   |                   |  |  |   |                  |   |  |  |  |    |  |  |   |  |  |  |   |  |                       |               |  |  |    |  |   |                   |  |  |   |  |   |  |  |  |    |  |   |  |  |  |   |                         |   |                                                                                                                                                            |  |  |    |  |  |  |  |  |   |  |  |  |  |    |  |  |  |  |   |  |  |  |  |     |  |  |  |  |  |  |
| —                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | - same lithology                            |                  | 0                     |                                                                                                                                                            |  |                   |               |                        |                |     |          |  |  |   |                      |  |   |                   |  |  |   |  |   |                                  |  |  |    |  |   |  |  |  |   |  |   |  |  |  |    |                                             |   |                   |  |  |   |  |   |  |  |  |    |  |   |  |  |  |   |  |   |                   |  |  |    |  |   |                   |  |  |   |                  |   |  |  |  |    |  |  |   |  |  |  |   |  |                       |               |  |  |    |  |   |                   |  |  |   |  |   |  |  |  |    |  |   |  |  |  |   |                         |   |                                                                                                                                                            |  |  |    |  |  |  |  |  |   |  |  |  |  |    |  |  |  |  |   |  |  |  |  |     |  |  |  |  |  |  |
| 50                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                             |                  | 0                     |                                                                                                                                                            |  |                   |               |                        |                |     |          |  |  |   |                      |  |   |                   |  |  |   |  |   |                                  |  |  |    |  |   |  |  |  |   |  |   |  |  |  |    |                                             |   |                   |  |  |   |  |   |  |  |  |    |  |   |  |  |  |   |  |   |                   |  |  |    |  |   |                   |  |  |   |                  |   |  |  |  |    |  |  |   |  |  |  |   |  |                       |               |  |  |    |  |   |                   |  |  |   |  |   |  |  |  |    |  |   |  |  |  |   |                         |   |                                                                                                                                                            |  |  |    |  |  |  |  |  |   |  |  |  |  |    |  |  |  |  |   |  |  |  |  |     |  |  |  |  |  |  |
| —                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                             |                  | 0.4<br>0<br>0.8 @ 57' | spoon 55 -57'                                                                                                                                              |  |                   |               |                        |                |     |          |  |  |   |                      |  |   |                   |  |  |   |  |   |                                  |  |  |    |  |   |  |  |  |   |  |   |  |  |  |    |                                             |   |                   |  |  |   |  |   |  |  |  |    |  |   |  |  |  |   |  |   |                   |  |  |    |  |   |                   |  |  |   |                  |   |  |  |  |    |  |  |   |  |  |  |   |  |                       |               |  |  |    |  |   |                   |  |  |   |  |   |  |  |  |    |  |   |  |  |  |   |                         |   |                                                                                                                                                            |  |  |    |  |  |  |  |  |   |  |  |  |  |    |  |  |  |  |   |  |  |  |  |     |  |  |  |  |  |  |
| 60                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                             |                  | 0                     | no petroleum odor                                                                                                                                          |  |                   |               |                        |                |     |          |  |  |   |                      |  |   |                   |  |  |   |  |   |                                  |  |  |    |  |   |  |  |  |   |  |   |  |  |  |    |                                             |   |                   |  |  |   |  |   |  |  |  |    |  |   |  |  |  |   |  |   |                   |  |  |    |  |   |                   |  |  |   |                  |   |  |  |  |    |  |  |   |  |  |  |   |  |                       |               |  |  |    |  |   |                   |  |  |   |  |   |  |  |  |    |  |   |  |  |  |   |                         |   |                                                                                                                                                            |  |  |    |  |  |  |  |  |   |  |  |  |  |    |  |  |  |  |   |  |  |  |  |     |  |  |  |  |  |  |
| —                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                             |                  | 0                     |                                                                                                                                                            |  |                   |               |                        |                |     |          |  |  |   |                      |  |   |                   |  |  |   |  |   |                                  |  |  |    |  |   |  |  |  |   |  |   |  |  |  |    |                                             |   |                   |  |  |   |  |   |  |  |  |    |  |   |  |  |  |   |  |   |                   |  |  |    |  |   |                   |  |  |   |                  |   |  |  |  |    |  |  |   |  |  |  |   |  |                       |               |  |  |    |  |   |                   |  |  |   |  |   |  |  |  |    |  |   |  |  |  |   |                         |   |                                                                                                                                                            |  |  |    |  |  |  |  |  |   |  |  |  |  |    |  |  |  |  |   |  |  |  |  |     |  |  |  |  |  |  |
| 70                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                             |                  | 0                     |                                                                                                                                                            |  |                   |               |                        |                |     |          |  |  |   |                      |  |   |                   |  |  |   |  |   |                                  |  |  |    |  |   |  |  |  |   |  |   |  |  |  |    |                                             |   |                   |  |  |   |  |   |  |  |  |    |  |   |  |  |  |   |  |   |                   |  |  |    |  |   |                   |  |  |   |                  |   |  |  |  |    |  |  |   |  |  |  |   |  |                       |               |  |  |    |  |   |                   |  |  |   |  |   |  |  |  |    |  |   |  |  |  |   |                         |   |                                                                                                                                                            |  |  |    |  |  |  |  |  |   |  |  |  |  |    |  |  |  |  |   |  |  |  |  |     |  |  |  |  |  |  |
| —                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | - end boring @ 75 feet.                     |                  | 0                     | well consntruction:<br>75 feet total well depth<br>surface flush manhole<br>4 inch diameter<br>40 feet solid casing (tremie grout)<br>35 feet 0.02" screen |  |                   |               |                        |                |     |          |  |  |   |                      |  |   |                   |  |  |   |  |   |                                  |  |  |    |  |   |  |  |  |   |  |   |  |  |  |    |                                             |   |                   |  |  |   |  |   |  |  |  |    |  |   |  |  |  |   |  |   |                   |  |  |    |  |   |                   |  |  |   |                  |   |  |  |  |    |  |  |   |  |  |  |   |  |                       |               |  |  |    |  |   |                   |  |  |   |  |   |  |  |  |    |  |   |  |  |  |   |                         |   |                                                                                                                                                            |  |  |    |  |  |  |  |  |   |  |  |  |  |    |  |  |  |  |   |  |  |  |  |     |  |  |  |  |  |  |
| 80                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                             |                  |                       |                                                                                                                                                            |  |                   |               |                        |                |     |          |  |  |   |                      |  |   |                   |  |  |   |  |   |                                  |  |  |    |  |   |  |  |  |   |  |   |  |  |  |    |                                             |   |                   |  |  |   |  |   |  |  |  |    |  |   |  |  |  |   |  |   |                   |  |  |    |  |   |                   |  |  |   |                  |   |  |  |  |    |  |  |   |  |  |  |   |  |                       |               |  |  |    |  |   |                   |  |  |   |  |   |  |  |  |    |  |   |  |  |  |   |                         |   |                                                                                                                                                            |  |  |    |  |  |  |  |  |   |  |  |  |  |    |  |  |  |  |   |  |  |  |  |     |  |  |  |  |  |  |
| —                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                             |                  |                       |                                                                                                                                                            |  |                   |               |                        |                |     |          |  |  |   |                      |  |   |                   |  |  |   |  |   |                                  |  |  |    |  |   |  |  |  |   |  |   |  |  |  |    |                                             |   |                   |  |  |   |  |   |  |  |  |    |  |   |  |  |  |   |  |   |                   |  |  |    |  |   |                   |  |  |   |                  |   |  |  |  |    |  |  |   |  |  |  |   |  |                       |               |  |  |    |  |   |                   |  |  |   |  |   |  |  |  |    |  |   |  |  |  |   |                         |   |                                                                                                                                                            |  |  |    |  |  |  |  |  |   |  |  |  |  |    |  |  |  |  |   |  |  |  |  |     |  |  |  |  |  |  |
| 90                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                             |                  |                       |                                                                                                                                                            |  |                   |               |                        |                |     |          |  |  |   |                      |  |   |                   |  |  |   |  |   |                                  |  |  |    |  |   |  |  |  |   |  |   |  |  |  |    |                                             |   |                   |  |  |   |  |   |  |  |  |    |  |   |  |  |  |   |  |   |                   |  |  |    |  |   |                   |  |  |   |                  |   |  |  |  |    |  |  |   |  |  |  |   |  |                       |               |  |  |    |  |   |                   |  |  |   |  |   |  |  |  |    |  |   |  |  |  |   |                         |   |                                                                                                                                                            |  |  |    |  |  |  |  |  |   |  |  |  |  |    |  |  |  |  |   |  |  |  |  |     |  |  |  |  |  |  |
| —                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                             |                  |                       |                                                                                                                                                            |  |                   |               |                        |                |     |          |  |  |   |                      |  |   |                   |  |  |   |  |   |                                  |  |  |    |  |   |  |  |  |   |  |   |  |  |  |    |                                             |   |                   |  |  |   |  |   |  |  |  |    |  |   |  |  |  |   |  |   |                   |  |  |    |  |   |                   |  |  |   |                  |   |  |  |  |    |  |  |   |  |  |  |   |  |                       |               |  |  |    |  |   |                   |  |  |   |  |   |  |  |  |    |  |   |  |  |  |   |                         |   |                                                                                                                                                            |  |  |    |  |  |  |  |  |   |  |  |  |  |    |  |  |  |  |   |  |  |  |  |     |  |  |  |  |  |  |
| 100                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                             |                  |                       |                                                                                                                                                            |  |                   |               |                        |                |     |          |  |  |   |                      |  |   |                   |  |  |   |  |   |                                  |  |  |    |  |   |  |  |  |   |  |   |  |  |  |    |                                             |   |                   |  |  |   |  |   |  |  |  |    |  |   |  |  |  |   |  |   |                   |  |  |    |  |   |                   |  |  |   |                  |   |  |  |  |    |  |  |   |  |  |  |   |  |                       |               |  |  |    |  |   |                   |  |  |   |  |   |  |  |  |    |  |   |  |  |  |   |                         |   |                                                                                                                                                            |  |  |    |  |  |  |  |  |   |  |  |  |  |    |  |  |  |  |   |  |  |  |  |     |  |  |  |  |  |  |

