

The results set forth herein are provided by SGS North America Inc.

*e-Hardcopy 2.0*  
*Automated Report*

## Technical Report for

### GeoEnviro Consulting

P-242, 7040 Mill Creek Road, Levittown, PA

P-242

SGS Job Number: JD70536

Sampling Date: 08/03/23

#### Report to:

GeoEnviro Consulting

apeoples@geoenviroconsulting.com

ATTN: Ashley Peoples

Total number of pages in report: 11



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable unless noted in the narrative, comments or footnotes.

A blue ink signature of David Chastain.

**David Chastain**  
General Manager

**Client Service contact: Angela Lattanzio 732-329-0200**

Certifications: NJ(12129),NY(10983),CA,CO,CT,FL,HI,IL,IN,KY,LA (120428),MA,MD,ME,MN,NC,NH,NV,AK (UST-103),AZ (AZ0786),PA(68-00408),RI,SC,TX (T104704234),UT,VA,WA,WV

This report shall not be reproduced, except in its entirety, without the written approval of SGS.  
Test results relate only to samples analyzed.

# Table of Contents

-1-

<b>Section 1: Sample Summary</b> .....	<b>3</b>
<b>Section 2: Summary of Hits</b> .....	<b>4</b>
<b>Section 3: Sample Results</b> .....	<b>5</b>
<b>3.1: JD70536-1: MW-9</b> .....	6
<b>3.2: JD70536-2: MW-8</b> .....	7
<b>3.3: JD70536-3: MW-10</b> .....	8
<b>Section 4: Misc. Forms</b> .....	<b>9</b>
<b>4.1: Chain of Custody</b> .....	10



## Sample Summary

GeoEnviro Consulting

Job No: JD70536

P-242, 7040 Mill Creek Road, Levittown, PA  
Project No: P-242

Sample Number	Collected Date	Time By	Received	Matrix Code	Type	Client Sample ID
---------------	----------------	---------	----------	-------------	------	------------------

This report contains results reported as ND = Not detected. The following applies:  
Organics ND = Not detected above the MDL

---

JD70536-1	08/03/23	09:00	DF	08/04/23	AQ	Ground Water	MW-9
JD70536-2	08/03/23	09:45	DF	08/04/23	AQ	Ground Water	MW-8
JD70536-3	08/03/23	10:17	DF	08/04/23	AQ	Ground Water	MW-10

## Summary of Hits

**Job Number:** JD70536  
**Account:** GeoEnviro Consulting  
**Project:** P-242, 7040 Mill Creek Road, Levittown, PA  
**Collected:** 08/03/23

Lab Sample ID	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
<b>JD70536-1</b>		<b>MW-9</b>				
Benzene <sup>a</sup>		19.7	0.50	0.43	ug/l	SW846 8260D
Toluene <sup>a</sup>		2.4	1.0	0.49	ug/l	SW846 8260D
Ethylbenzene <sup>a</sup>		15.2	1.0	0.60	ug/l	SW846 8260D
Xylene (total) <sup>a</sup>		2.3	1.0	0.59	ug/l	SW846 8260D
Naphthalene		509	25	22	ug/l	SW846 8260D
Isopropylbenzene <sup>a</sup>		129	1.0	0.65	ug/l	SW846 8260D
1,3,5-Trimethylbenzene <sup>a</sup>		1.7 J	2.0	1.0	ug/l	SW846 8260D
<b>JD70536-2</b>		<b>MW-8</b>				
Benzene		1.4	0.50	0.43	ug/l	SW846 8260D
Toluene		1.8	1.0	0.49	ug/l	SW846 8260D
Ethylbenzene		2.8	1.0	0.60	ug/l	SW846 8260D
Xylene (total)		14.1	1.0	0.59	ug/l	SW846 8260D
Naphthalene		103	5.0	4.4	ug/l	SW846 8260D
Isopropylbenzene		26.3	1.0	0.65	ug/l	SW846 8260D
1,3,5-Trimethylbenzene		1.0 J	2.0	1.0	ug/l	SW846 8260D
<b>JD70536-3</b>		<b>MW-10</b>				
Benzene		4820	50	43	ug/l	SW846 8260D
Toluene		7300	100	49	ug/l	SW846 8260D
Ethylbenzene <sup>a</sup>		1020	20	12	ug/l	SW846 8260D
Xylene (total) <sup>a</sup>		5320	20	12	ug/l	SW846 8260D
Methyl Tert Butyl Ether <sup>a</sup>		18.9 J	20	10	ug/l	SW846 8260D
Naphthalene <sup>a</sup>		113	100	87	ug/l	SW846 8260D
Isopropylbenzene <sup>a</sup>		46.6	20	13	ug/l	SW846 8260D
1,2,4-Trimethylbenzene <sup>a</sup>		653	40	20	ug/l	SW846 8260D
1,3,5-Trimethylbenzene <sup>a</sup>		168	40	20	ug/l	SW846 8260D

(a) Dilution required due to high concentration of target compound.

## Sample Results

---

## Report of Analysis

---

## Report of Analysis

3.1  
3

<b>Client Sample ID:</b> MW-9 <b>Lab Sample ID:</b> JD70536-1 <b>Matrix:</b> AQ - Ground Water <b>Method:</b> SW846 8260D <b>Project:</b> P-242, 7040 Mill Creek Road, Levittown, PA	<b>Date Sampled:</b> 08/03/23 <b>Date Received:</b> 08/04/23 <b>Percent Solids:</b> n/a
--	---

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 <sup>a</sup>	4A304.D	1	08/08/23 17:42	KD	n/a	n/a	V4A10
Run #2	2J4821.D	5	08/07/23 19:53	KD	n/a	n/a	V2J161

Run #	Purge Volume
Run #1	5.0 ml
Run #2	5.0 ml

**VOA Unleaded Gasoline with TMB List**

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	19.7	0.50	0.43	ug/l	
108-88-3	Toluene	2.4	1.0	0.49	ug/l	
100-41-4	Ethylbenzene	15.2	1.0	0.60	ug/l	
1330-20-7	Xylene (total)	2.3	1.0	0.59	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
91-20-3	Naphthalene	509 <sup>b</sup>	25	22	ug/l	
98-82-8	Isopropylbenzene	129	1.0	0.65	ug/l	
95-63-6	1,2,4-Trimethylbenzene	ND	2.0	1.0	ug/l	
108-67-8	1,3,5-Trimethylbenzene	1.7	2.0	1.0	ug/l	J

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	98%	89%	80-120%
17060-07-0	1,2-Dichloroethane-D4	105%	87%	80-120%
2037-26-5	Toluene-D8	99%	96%	80-120%
460-00-4	4-Bromofluorobenzene	96%	99%	82-114%

- (a) Dilution required due to high concentration of target compound.
- (b) Result is from Run# 2

---

ND = Not detected      MDL = Method Detection Limit      J = Indicates an estimated value  
 RL = Reporting Limit      B = Indicates analyte found in associated method blank  
 E = Indicates value exceeds calibration range      N = Indicates presumptive evidence of a compound

## Report of Analysis

32  
3

<b>Client Sample ID:</b> MW-8 <b>Lab Sample ID:</b> JD70536-2 <b>Matrix:</b> AQ - Ground Water <b>Method:</b> SW846 8260D <b>Project:</b> P-242, 7040 Mill Creek Road, Levittown, PA	<b>Date Sampled:</b> 08/03/23 <b>Date Received:</b> 08/04/23 <b>Percent Solids:</b> n/a
--	---

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	4A302.D	1	08/08/23 16:51	KD	n/a	n/a	V4A10
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

**VOA Unleaded Gasoline with TMB List**

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	1.4	0.50	0.43	ug/l	
108-88-3	Toluene	1.8	1.0	0.49	ug/l	
100-41-4	Ethylbenzene	2.8	1.0	0.60	ug/l	
1330-20-7	Xylene (total)	14.1	1.0	0.59	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
91-20-3	Naphthalene	103	5.0	4.4	ug/l	
98-82-8	Isopropylbenzene	26.3	1.0	0.65	ug/l	
95-63-6	1,2,4-Trimethylbenzene	ND	2.0	1.0	ug/l	
108-67-8	1,3,5-Trimethylbenzene	1.0	2.0	1.0	ug/l	J

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	99%		80-120%
17060-07-0	1,2-Dichloroethane-D4	104%		80-120%
2037-26-5	Toluene-D8	100%		80-120%
460-00-4	4-Bromofluorobenzene	94%		82-114%

ND = Not detected      MDL = Method Detection Limit      J = Indicates an estimated value  
 RL = Reporting Limit      B = Indicates analyte found in associated method blank  
 E = Indicates value exceeds calibration range      N = Indicates presumptive evidence of a compound

## Report of Analysis

Client Sample ID: MW-10		Date Sampled: 08/03/23
Lab Sample ID: JD70536-3		Date Received: 08/04/23
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: SW846 8260D		
Project: P-242, 7040 Mill Creek Road, Levittown, PA		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 <sup>a</sup>	4A303.D	20	08/08/23 17:17	KD	n/a	n/a	V4A10
Run #2	2J4823.D	100	08/07/23 20:43	KD	n/a	n/a	V2J161

Run #	Purge Volume
Run #1	5.0 ml
Run #2	5.0 ml

**VOA Unleaded Gasoline with TMB List**

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	4820 <sup>b</sup>	50	43	ug/l	
108-88-3	Toluene	7300 <sup>b</sup>	100	49	ug/l	
100-41-4	Ethylbenzene	1020	20	12	ug/l	
1330-20-7	Xylene (total)	5320	20	12	ug/l	
1634-04-4	Methyl Tert Butyl Ether	18.9	20	10	ug/l	J
91-20-3	Naphthalene	113	100	87	ug/l	
98-82-8	Isopropylbenzene	46.6	20	13	ug/l	
95-63-6	1,2,4-Trimethylbenzene	653	40	20	ug/l	
108-67-8	1,3,5-Trimethylbenzene	168	40	20	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	99%	92%	80-120%
17060-07-0	1,2-Dichloroethane-D4	109%	87%	80-120%
2037-26-5	Toluene-D8	101%	97%	80-120%
460-00-4	4-Bromofluorobenzene	95%	96%	82-114%

- (a) Dilution required due to high concentration of target compound.
- (b) Result is from Run# 2

---

ND = Not detected      MDL = Method Detection Limit      J = Indicates an estimated value  
 RL = Reporting Limit      B = Indicates analyte found in associated method blank  
 E = Indicates value exceeds calibration range      N = Indicates presumptive evidence of a compound



## Misc. Forms

---

### Custody Documents and Other Forms

---

**Includes the following where applicable:**

- Chain of Custody



## SGS Sample Receipt Summary

Job Number: JD70536

Client: GECR

Project: MILLCREEK SUNOCO

Date / Time Received: 8/4/2023 5:05:00 PM

Delivery Method: SGS COURIER

Airbill #'s: \_\_\_\_\_

Cooler Temps (Raw Measured) °C: Cooler 1: (2.8);

Cooler Temps (Corrected) °C: Cooler 1: (2.5);

<u>Cooler Security</u>	<u>Y or N</u>		<u>Y or N</u>	
1. Custody Seals Present:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	3. COC Present:	<input checked="" type="checkbox"/> <input type="checkbox"/>
2. Custody Seals Intact:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	4. SmpI Dates/Time OK	<input checked="" type="checkbox"/> <input type="checkbox"/>

<u>Cooler Temperature</u>	<u>Y or N</u>	
1. Temp criteria achieved:	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2. Cooler temp verification:	<u>IR Gun 40</u>	
3. Cooler media:	<u>Ice (Bag)</u>	
4. No. Coolers:	<u>1</u>	

<u>Quality Control Preservation</u>	<u>Y or N</u>		<u>N/A</u>
1. Trip Blank present / cooler:	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
2. Trip Blank listed on COC:	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
3. Samples preserved properly:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
4. VOCs headspace free:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

<u>Sample Integrity - Documentation</u>	<u>Y or N</u>	
1. Sample labels present on bottles:	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2. Container labeling complete:	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3. Sample container label / COC agree:	<input checked="" type="checkbox"/>	<input type="checkbox"/>

<u>Sample Integrity - Condition</u>	<u>Y or N</u>	
1. Sample recvd within HT:	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2. All containers accounted for:	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3. Condition of sample:	<u>Intact</u>	

<u>Sample Integrity - Instructions</u>	<u>Y or N</u>		<u>N/A</u>
1. Analysis requested is clear:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2. Bottles received for unspecified tests	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
3. Sufficient volume recvd for analysis:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
4. Compositing instructions clear:	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
5. Filtering instructions clear:	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Test Strip Lot #s:	pH 1-12: <u>231619</u>	pH 12+: <u>203117A</u>	Other: (Specify) _____
--------------------	------------------------	------------------------	------------------------

Comments

SM089-03  
Rev. Date 12/7/17

**JD70536: Chain of Custody**

Page 2 of 2

4.1  
4

The results set forth herein are provided by SGS North America Inc.

*e-Hardcopy 2.0*  
*Automated Report*

## Technical Report for

### GeoEnviro Consulting

P-242, 2040 Mill Creek Road, Levittown, PA

P-242

SGS Job Number: JD79020

Sampling Date: 12/15/23

#### Report to:

GeoEnviro Consulting

apeoples@geoenviroconsulting.com

ATTN: Ashley Peoples

Total number of pages in report: 11



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable unless noted in the narrative, comments or footnotes.

A blue ink signature of David Chastain.

**David Chastain**  
General Manager

**Client Service contact: Angela Lattanzio 732-329-0200**

Certifications: NJ(12129),NY(10983),CA,CO,CT,FL,HI,IL,IN,KY,LA (120428),MA,MD,ME,MN,NC,NH,NV,AK (UST-103),AZ (AZ0786),PA(68-00408),RI,SC,TX (T104704234),UT,VA,WA,WV

This report shall not be reproduced, except in its entirety, without the written approval of SGS.  
Test results relate only to samples analyzed.

# Table of Contents

-1-

<b>Section 1: Sample Summary</b> .....	<b>3</b>
<b>Section 2: Summary of Hits</b> .....	<b>4</b>
<b>Section 3: Sample Results</b> .....	<b>5</b>
<b>3.1: JD79020-1: MW-8</b> .....	6
<b>3.2: JD79020-2: MW-9</b> .....	7
<b>3.3: JD79020-3: MW-10</b> .....	8
<b>Section 4: Misc. Forms</b> .....	<b>9</b>
<b>4.1: Chain of Custody</b> .....	10



## Sample Summary

**GeoEnviro Consulting**

**Job No: JD79020**

**P-242, 2040 Mill Creek Road, Levittown, PA**  
**Project No: P-242**

Sample Number	Collected Date	Time By	Received	Matrix Code	Type	Client Sample ID
---------------	----------------	---------	----------	-------------	------	------------------

**This report contains results reported as ND = Not detected. The following applies:**  
**Organics ND = Not detected above the MDL**

JD79020-1	12/15/23	10:55 AP	12/15/23	AQ	Ground Water	MW-8
JD79020-2	12/15/23	12:05 AP	12/15/23	AQ	Ground Water	MW-9
JD79020-3	12/15/23	13:25 AP	12/15/23	AQ	Ground Water	MW-10

## Summary of Hits

**Job Number:** JD79020  
**Account:** GeoEnviro Consulting  
**Project:** P-242, 2040 Mill Creek Road, Levittown, PA  
**Collected:** 12/15/23

Lab Sample ID	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
JD79020-1	MW-8					
Benzene		3.6	0.50	0.43	ug/l	SW846 8260D
Toluene		2.2	1.0	0.49	ug/l	SW846 8260D
Ethylbenzene		3.7	1.0	0.60	ug/l	SW846 8260D
Xylene (total)		11.1	1.0	0.59	ug/l	SW846 8260D
Naphthalene		118	5.0	4.4	ug/l	SW846 8260D
Isopropylbenzene		25.1	1.0	0.65	ug/l	SW846 8260D
JD79020-2	MW-9					
Benzene		10.6	0.50	0.43	ug/l	SW846 8260D
Toluene		0.72 J	1.0	0.49	ug/l	SW846 8260D
Ethylbenzene		8.2	1.0	0.60	ug/l	SW846 8260D
Xylene (total)		0.70 J	1.0	0.59	ug/l	SW846 8260D
Naphthalene		174	5.0	4.4	ug/l	SW846 8260D
Isopropylbenzene		96.9	1.0	0.65	ug/l	SW846 8260D
JD79020-3	MW-10					
Benzene		3310	25	21	ug/l	SW846 8260D
Toluene <sup>a</sup>		41.6	10	4.9	ug/l	SW846 8260D
Ethylbenzene <sup>a</sup>		963	10	6.0	ug/l	SW846 8260D
Xylene (total) <sup>a</sup>		3560	10	5.9	ug/l	SW846 8260D
Naphthalene <sup>a</sup>		85.8	50	44	ug/l	SW846 8260D
Isopropylbenzene <sup>a</sup>		39.1	10	6.5	ug/l	SW846 8260D
1,2,4-Trimethylbenzene <sup>a</sup>		607	20	10	ug/l	SW846 8260D
1,3,5-Trimethylbenzene <sup>a</sup>		141	20	10	ug/l	SW846 8260D

(a) Dilution required due to high concentration of target compound.

## Sample Results

---

## Report of Analysis

---



## Report of Analysis

3.1  
3

<b>Client Sample ID:</b> MW-8 <b>Lab Sample ID:</b> JD79020-1 <b>Matrix:</b> AQ - Ground Water <b>Method:</b> SW846 8260D <b>Project:</b> P-242, 2040 Mill Creek Road, Levittown, PA	<b>Date Sampled:</b> 12/15/23 <b>Date Received:</b> 12/15/23 <b>Percent Solids:</b> n/a
--	---

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1N6739.D	1	12/19/23 06:12	LD	n/a	n/a	V1N175
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

**VOA Unleaded Gasoline with TMB List**

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	3.6	0.50	0.43	ug/l	
108-88-3	Toluene	2.2	1.0	0.49	ug/l	
100-41-4	Ethylbenzene	3.7	1.0	0.60	ug/l	
1330-20-7	Xylene (total)	11.1	1.0	0.59	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
91-20-3	Naphthalene	118	5.0	4.4	ug/l	
98-82-8	Isopropylbenzene	25.1	1.0	0.65	ug/l	
95-63-6	1,2,4-Trimethylbenzene	ND	2.0	1.0	ug/l	
108-67-8	1,3,5-Trimethylbenzene	ND	2.0	1.0	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	95%		80-120%
17060-07-0	1,2-Dichloroethane-D4	97%		80-120%
2037-26-5	Toluene-D8	100%		80-120%
460-00-4	4-Bromofluorobenzene	99%		82-114%

ND = Not detected      MDL = Method Detection Limit      J = Indicates an estimated value  
 RL = Reporting Limit      B = Indicates analyte found in associated method blank  
 E = Indicates value exceeds calibration range      N = Indicates presumptive evidence of a compound



## Report of Analysis

Client Sample ID: MW-10		Date Sampled: 12/15/23
Lab Sample ID: JD79020-3		Date Received: 12/15/23
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: SW846 8260D		
Project: P-242, 2040 Mill Creek Road, Levittown, PA		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 <sup>a</sup>	1E179080.D	10	12/19/23 12:46	NW	n/a	n/a	V1E8772
Run #2	2N6722.D	50	12/19/23 02:19	LD	n/a	n/a	V2N175

Run #	Purge Volume
Run #1	5.0 ml
Run #2	5.0 ml

**VOA Unleaded Gasoline with TMB List**

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	3310 <sup>b</sup>	25	21	ug/l	
108-88-3	Toluene	41.6	10	4.9	ug/l	
100-41-4	Ethylbenzene	963	10	6.0	ug/l	
1330-20-7	Xylene (total)	3560	10	5.9	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	10	5.1	ug/l	
91-20-3	Naphthalene	85.8	50	44	ug/l	
98-82-8	Isopropylbenzene	39.1	10	6.5	ug/l	
95-63-6	1,2,4-Trimethylbenzene	607	20	10	ug/l	
108-67-8	1,3,5-Trimethylbenzene	141	20	10	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	85%	97%	80-120%
17060-07-0	1,2-Dichloroethane-D4	111%	98%	80-120%
2037-26-5	Toluene-D8	102%	99%	80-120%
460-00-4	4-Bromofluorobenzene	108%	96%	82-114%

- (a) Dilution required due to high concentration of target compound.
- (b) Result is from Run# 2

---

ND = Not detected      MDL = Method Detection Limit      J = Indicates an estimated value  
 RL = Reporting Limit      B = Indicates analyte found in associated method blank  
 E = Indicates value exceeds calibration range      N = Indicates presumptive evidence of a compound

## Misc. Forms

---

### Custody Documents and Other Forms

---

**Includes the following where applicable:**

- Chain of Custody



CHAIN OF CUSTODY

SGS North America Inc. - Dayton  
2235 Route 130, Dayton, NJ 08810  
TEL: 732-329-0200 FAX: 732-329-3499/3480  
www.sgs.com/ehusa

EHSA-OAC-0023-04-FORM-Standard COC

FED-EX Tracking #  
SGS Quote #  
SGS Job # **5279020**

<b>Client / Reporting Information</b>		<b>Project Information</b>	
Company Name: <b>GEOR</b>	Project Name: <b>Mill Creek Synco</b>	Billing Information (if different from Report to)	
Street Address: <b>371 Hoes Ln, Suite 200</b>	Street: <b>72410 Mill Creek Rd</b>	Company Name:	
City: <b>Piscataway NJ</b>	City: <b>Levittown PA</b>	Street Address:	
State: <b>NJ</b>	State: <b>PA</b>	City:	
Zip: <b>08854</b>	Zip:	State:	
Project Contact: <b>Martin Ebel</b>	Project #: <b>P-242</b>	Client Purchase Order #:	
E-mail: <b>MEBEL@geor.com</b>	Street Address:	City:	
Phone #: <b>732-377-2028</b>	City:	State:	
Sampler(s) Name(s): <b>Ashley Peoples</b>	Project Manager: <b>Martin Ebel</b>	Attention:	
Phone #: <b>609-330-1944</b>			

PA DEP Unleaded gasoline  
Sampled per NJ DEP H-117

Requested Analysis	Matrix Codes
	DW - Drinking Water GW - Ground Water WW - Water SW - Surface Water SO - Soil SL - Sludge SED - Sediment OI - Oil LIQ - Other Liquid AIR - Air SOL - Other Solid WP - Wipe FB - Field Blank EB - Equipment Blank RB - Rinse Blank TB - Trip Blank

SGS Sample #	Field ID / Point of Collection	MEQ/ID / Val #	Collection		Sampled by	QAC (S) Comp (C)	Source Characterized (Y/N)	Matrix	# of bottles	Number of preserved Bottles										pH Check (Lab Use Only)	LAB USE ONLY					
			Date	Time						HCl	NaOH	IMS	HSCL	NONE	D1 W/mer	MEDH	ENCODER									
1	MW-8		12/15/23	10:55	AP	G	N	GW	3	X																
2	MW-9			12:05																						
3	MW-10			13:25																						

<b>Turn Around Time (Business Days)</b> <input type="checkbox"/> 10 Business Days <input type="checkbox"/> 5 Business Days <input type="checkbox"/> 3 Business Days* <input type="checkbox"/> 2 Business Days* <input type="checkbox"/> 1 Business Day* <input type="checkbox"/> Other <small>All data available via Lablink</small>	Approved By (SGS PM) / Date: _____ _____	<b>Deliverable</b> <input type="checkbox"/> Commercial "A" (Level 1) <input type="checkbox"/> Commercial "B" (Level 2) <input type="checkbox"/> NJ Reduced (Level 3) <input type="checkbox"/> Full Tier 1 (Level 4) <input type="checkbox"/> Commercial "C" <input type="checkbox"/> NJ DKQP <input type="checkbox"/> NYASP Category A <input type="checkbox"/> NYASP Category B <input type="checkbox"/> MA MCP Criteria <input type="checkbox"/> CT RCP Criteria <input type="checkbox"/> State Forms <input type="checkbox"/> EDD Format <input type="checkbox"/> DOD-QSMS	<b>Comments / Special Instructions</b>  
---	--	--	--

Sample Custody must be documented below each time samples change possession, including courier delivery. <http://www.sgs.com/en/terms-and-conditions>

Relinquished by: <b>Ashley Peoples</b>	Date / Time: <b>12/15/23 3:40</b>	Received By: <b>Jame Run</b>	Relinquished By: <b>2</b>	Date / Time:	Received By:
Relinquished by:	Date / Time:	Received By:	Relinquished By:	Date / Time:	Received By:
Relinquished by:	Date / Time:	Received By:	Relinquished By:	Date / Time:	Received By:

Custody Seal #  Intact  Not Intact  Absent

Therm ID:  On Ice  Cooler Temp. °C **3.1**

IR-40



## SGS Sample Receipt Summary

Job Number: JD79020

Client: GECR

Project: MILL CREEK SUNOCO

Date / Time Received: 12/15/2023 3:40:00 PM

Delivery Method: DROP OFF

Airbill #'s: \_\_\_\_\_

Cooler Temps (Raw Measured) °C: Cooler 1: (3.1);

Cooler Temps (Corrected) °C: Cooler 1: (3.1);

<u>Cooler Security</u>	<u>Y or N</u>		<u>Y or N</u>	
1. Custody Seals Present:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	3. COC Present:	<input checked="" type="checkbox"/> <input type="checkbox"/>
2. Custody Seals Intact:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	4. SmpI Dates/Time OK	<input checked="" type="checkbox"/> <input type="checkbox"/>

<u>Cooler Temperature</u>	<u>Y or N</u>	
1. Temp criteria achieved:	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2. Cooler temp verification:	_____	
3. Cooler media:	<u>Ice (Bag)</u>	
4. No. Coolers:	<u>1</u>	

<u>Quality Control Preservation</u>	<u>Y</u>	<u>or</u>	<u>N</u>	<u>N/A</u>
1. Trip Blank present / cooler:	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
2. Trip Blank listed on COC:	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
3. Samples preserved properly:	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
4. VOCs headspace free:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

<u>Sample Integrity - Documentation</u>	<u>Y or N</u>	
1. Sample labels present on bottles:	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2. Container labeling complete:	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3. Sample container label / COC agree:	<input checked="" type="checkbox"/>	<input type="checkbox"/>

<u>Sample Integrity - Condition</u>	<u>Y or N</u>	
1. Sample recvd within HT:	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2. All containers accounted for:	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3. Condition of sample:	_____ Intact	

<u>Sample Integrity - Instructions</u>	<u>Y</u>	<u>or</u>	<u>N</u>	<u>N/A</u>
1. Analysis requested is clear:	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
2. Bottles received for unspecified tests	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
3. Sufficient volume recvd for analysis:	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
4. Compositing instructions clear:	<input type="checkbox"/>	<input type="checkbox"/>		<input checked="" type="checkbox"/>
5. Filtering instructions clear:	<input type="checkbox"/>	<input type="checkbox"/>		<input checked="" type="checkbox"/>

Test Strip Lot #s:	pH 1-12: <u>231619</u>	pH 12+: <u>203117A</u>	Other: (Specify) _____
--------------------	------------------------	------------------------	------------------------

Comments

SM089-03  
Rev. Date 12/7/17

**JD79020: Chain of Custody**

Page 2 of 2

4.1  
4

The results set forth herein are provided by SGS North America Inc.

*e-Hardcopy 2.0*  
*Automated Report*

## Technical Report for

### GeoEnviro Consulting

P-242, 7040 Mill Creek Road, Levittown, PA

SGS Job Number: JD85755

Sampling Date: 04/02/24

#### Report to:

Geo-Enviro Consulting Remediation  
371 Hoes Lane Suite 200  
Piscataway, NJ 08854  
Mebel@geoenviroconsulting.com; apeoples@geoenviroconsulting.com  
ATTN: Martin Ebel

Total number of pages in report: 16



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable unless noted in the narrative, comments or footnotes.

A handwritten signature in blue ink, appearing to read 'D. Chastain'.

David Chastain  
General Manager

**Client Service contact: Angela Lattanzio 732-329-0200**

Certifications: NJ(12129),NY(10983),CA,CO,CT,FL,HI,IL,IN,KY,LA (120428),MA,MD,ME,MN,NC,NH,NV,AK (UST-103),AZ (AZ0786),PA(68-00408),RI,SC,TX (T104704234),UT,VA,WA,WV

This report shall not be reproduced, except in its entirety, without the written approval of SGS.  
Test results relate only to samples analyzed.

# Table of Contents

-1-

<b>Section 1: Sample Summary</b> .....	<b>3</b>
<b>Section 2: Summary of Hits</b> .....	<b>4</b>
<b>Section 3: Sample Results</b> .....	<b>6</b>
<b>3.1:</b> JD85755-1: MW-9 .....	7
<b>3.2:</b> JD85755-2: MW-15 .....	8
<b>3.3:</b> JD85755-3: MW-10 .....	9
<b>3.4:</b> JD85755-4: MW-14 .....	10
<b>3.5:</b> JD85755-5: MW-11 .....	11
<b>3.6:</b> JD85755-6: MW-13 .....	12
<b>3.7:</b> JD85755-7: MW-8 .....	13
<b>Section 4: Misc. Forms</b> .....	<b>14</b>
<b>4.1:</b> Chain of Custody .....	15





## Sample Summary

**GeoEnviro Consulting**

**Job No: JD85755**

**P-242, 7040 Mill Creek Road, Levittown, PA**

Sample Number	Collected Date	Time By	Received	Matrix Code	Type	Client Sample ID
---------------	----------------	---------	----------	-------------	------	------------------

**This report contains results reported as ND = Not detected. The following applies:**  
**Organics ND = Not detected above the MDL**

JD85755-1	04/02/24	09:25	DF	04/03/24	AQ	Ground Water	MW-9
JD85755-2	04/02/24	09:38	DF	04/03/24	AQ	Ground Water	MW-15
JD85755-3	04/02/24	10:15	DF	04/03/24	AQ	Ground Water	MW-10
JD85755-4	04/02/24	10:20	DF	04/03/24	AQ	Ground Water	MW-14
JD85755-5	04/02/24	11:10	DF	04/03/24	AQ	Ground Water	MW-11
JD85755-6	04/02/24	11:30	DF	04/03/24	AQ	Ground Water	MW-13
JD85755-7	04/02/24	11:40	DF	04/03/24	AQ	Ground Water	MW-8

## Summary of Hits

**Job Number:** JD85755  
**Account:** GeoEnviro Consulting  
**Project:** P-242, 7040 Mill Creek Road, Levittown, PA  
**Collected:** 04/02/24

2

Lab Sample ID	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
---------------	------------------	-----------------	----	-----	-------	--------

**JD85755-1 MW-9**

Benzene	5.7	0.50	0.43	ug/l	SW846 8260D
Toluene	0.80 J	1.0	0.49	ug/l	SW846 8260D
Ethylbenzene	7.2	1.0	0.60	ug/l	SW846 8260D
Xylene (total)	1.3	1.0	0.59	ug/l	SW846 8260D
Naphthalene	130	5.0	4.4	ug/l	SW846 8260D
Isopropylbenzene	81.8	1.0	0.65	ug/l	SW846 8260D

**JD85755-2 MW-15**

No hits reported in this sample.

**JD85755-3 MW-10**

Benzene <sup>a</sup>	661	2.5	2.1	ug/l	SW846 8260D
Toluene <sup>a</sup>	7.4	5.0	2.5	ug/l	SW846 8260D
Ethylbenzene <sup>a</sup>	147	5.0	3.0	ug/l	SW846 8260D
Xylene (total) <sup>a</sup>	545	5.0	3.0	ug/l	SW846 8260D
Naphthalene <sup>a</sup>	46.9	25	22	ug/l	SW846 8260D
Isopropylbenzene <sup>a</sup>	32.9	5.0	3.2	ug/l	SW846 8260D
1,2,4-Trimethylbenzene <sup>a</sup>	118	10	5.0	ug/l	SW846 8260D
1,3,5-Trimethylbenzene <sup>a</sup>	33.8	10	5.0	ug/l	SW846 8260D

**JD85755-4 MW-14**

Toluene	0.96 J	1.0	0.49	ug/l	SW846 8260D
Xylene (total)	2.9	1.0	0.59	ug/l	SW846 8260D

**JD85755-5 MW-11**

Benzene <sup>a</sup>	1200	50	43	ug/l	SW846 8260D
Toluene <sup>a</sup>	15800	100	49	ug/l	SW846 8260D
Ethylbenzene <sup>a</sup>	2480	100	60	ug/l	SW846 8260D
Xylene (total) <sup>a</sup>	15500	100	59	ug/l	SW846 8260D
Isopropylbenzene <sup>a</sup>	99.5 J	100	65	ug/l	SW846 8260D
1,2,4-Trimethylbenzene <sup>a</sup>	1750	200	100	ug/l	SW846 8260D
1,3,5-Trimethylbenzene <sup>a</sup>	424	200	100	ug/l	SW846 8260D

**JD85755-6 MW-13**

Benzene	1.3	0.50	0.43	ug/l	SW846 8260D
Toluene	1.5	1.0	0.49	ug/l	SW846 8260D
Ethylbenzene	0.76 J	1.0	0.60	ug/l	SW846 8260D
Xylene (total)	4.6	1.0	0.59	ug/l	SW846 8260D

## Summary of Hits

**Job Number:** JD85755  
**Account:** GeoEnviro Consulting  
**Project:** P-242, 7040 Mill Creek Road, Levittown, PA  
**Collected:** 04/02/24

Lab Sample ID	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
1,2,4-Trimethylbenzene		1.2 J	2.0	1.0	ug/l	SW846 8260D
JD85755-7	MW-8					
Benzene		6.7	0.50	0.43	ug/l	SW846 8260D
Toluene		81.7	1.0	0.49	ug/l	SW846 8260D
Ethylbenzene		14.4	1.0	0.60	ug/l	SW846 8260D
Xylene (total)		67.4	1.0	0.59	ug/l	SW846 8260D
Naphthalene		50.5	5.0	4.4	ug/l	SW846 8260D
Isopropylbenzene		42.8	1.0	0.65	ug/l	SW846 8260D
1,2,4-Trimethylbenzene		5.1	2.0	1.0	ug/l	SW846 8260D
1,3,5-Trimethylbenzene		1.3 J	2.0	1.0	ug/l	SW846 8260D

(a) Dilution required due to high concentration of target compound.

## Sample Results

---

## Report of Analysis

---



## Report of Analysis

32  
3

<b>Client Sample ID:</b> MW-15 <b>Lab Sample ID:</b> JD85755-2 <b>Matrix:</b> AQ - Ground Water <b>Method:</b> SW846 8260D <b>Project:</b> P-242, 7040 Mill Creek Road, Levittown, PA	<b>Date Sampled:</b> 04/02/24 <b>Date Received:</b> 04/03/24 <b>Percent Solids:</b> n/a
---	---

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	5A6045.D	1	04/09/24 20:35	ED	n/a	n/a	V5A180
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

**VOA Unleaded Gasoline with TMB List**

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	0.50	0.43	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
91-20-3	Naphthalene	ND	5.0	4.4	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	
95-63-6	1,2,4-Trimethylbenzene	ND	2.0	1.0	ug/l	
108-67-8	1,3,5-Trimethylbenzene	ND	2.0	1.0	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	105%		80-120%
17060-07-0	1,2-Dichloroethane-D4	101%		80-120%
2037-26-5	Toluene-D8	101%		80-120%
460-00-4	4-Bromofluorobenzene	99%		82-114%

ND = Not detected      MDL = Method Detection Limit      J = Indicates an estimated value  
 RL = Reporting Limit      B = Indicates analyte found in associated method blank  
 E = Indicates value exceeds calibration range      N = Indicates presumptive evidence of a compound

## Report of Analysis

Client Sample ID: MW-10		Date Sampled: 04/02/24
Lab Sample ID: JD85755-3		Date Received: 04/03/24
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: SW846 8260D		
Project: P-242, 7040 Mill Creek Road, Levittown, PA		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 <sup>a</sup>	4A6032.D	5	04/09/24 16:40	ED	n/a	n/a	V4A180
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

**VOA Unleaded Gasoline with TMB List**

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	661	2.5	2.1	ug/l	
108-88-3	Toluene	7.4	5.0	2.5	ug/l	
100-41-4	Ethylbenzene	147	5.0	3.0	ug/l	
1330-20-7	Xylene (total)	545	5.0	3.0	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	5.0	2.5	ug/l	
91-20-3	Naphthalene	46.9	25	22	ug/l	
98-82-8	Isopropylbenzene	32.9	5.0	3.2	ug/l	
95-63-6	1,2,4-Trimethylbenzene	118	10	5.0	ug/l	
108-67-8	1,3,5-Trimethylbenzene	33.8	10	5.0	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	102%		80-120%
17060-07-0	1,2-Dichloroethane-D4	101%		80-120%
2037-26-5	Toluene-D8	100%		80-120%
460-00-4	4-Bromofluorobenzene	99%		82-114%

(a) Dilution required due to high concentration of target compound.

---

ND = Not detected      MDL = Method Detection Limit      J = Indicates an estimated value  
 RL = Reporting Limit      B = Indicates analyte found in associated method blank  
 E = Indicates value exceeds calibration range      N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b> MW-14 <b>Lab Sample ID:</b> JD85755-4 <b>Matrix:</b> AQ - Ground Water <b>Method:</b> SW846 8260D <b>Project:</b> P-242, 7040 Mill Creek Road, Levittown, PA	<b>Date Sampled:</b> 04/02/24 <b>Date Received:</b> 04/03/24 <b>Percent Solids:</b> n/a
---	---

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	4A6046.D	1	04/09/24 20:53	ED	n/a	n/a	V4A180
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

**VOA Unleaded Gasoline with TMB List**

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	0.50	0.43	ug/l	
108-88-3	Toluene	0.96	1.0	0.49	ug/l	J
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
1330-20-7	Xylene (total)	2.9	1.0	0.59	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
91-20-3	Naphthalene	ND	5.0	4.4	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	
95-63-6	1,2,4-Trimethylbenzene	ND	2.0	1.0	ug/l	
108-67-8	1,3,5-Trimethylbenzene	ND	2.0	1.0	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	104%		80-120%
17060-07-0	1,2-Dichloroethane-D4	99%		80-120%
2037-26-5	Toluene-D8	101%		80-120%
460-00-4	4-Bromofluorobenzene	100%		82-114%

ND = Not detected      MDL = Method Detection Limit      J = Indicates an estimated value  
 RL = Reporting Limit      B = Indicates analyte found in associated method blank  
 E = Indicates value exceeds calibration range      N = Indicates presumptive evidence of a compound



## Report of Analysis

3.5  
3

<b>Client Sample ID:</b> MW-11 <b>Lab Sample ID:</b> JD85755-5 <b>Matrix:</b> AQ - Ground Water <b>Method:</b> SW846 8260D <b>Project:</b> P-242, 7040 Mill Creek Road, Levittown, PA	<b>Date Sampled:</b> 04/02/24 <b>Date Received:</b> 04/03/24 <b>Percent Solids:</b> n/a
---	---

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 <sup>a</sup>	5A6033.D	100	04/09/24 16:58	ED	n/a	n/a	V5A180
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

**VOA Unleaded Gasoline with TMB List**

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	1200	50	43	ug/l	
108-88-3	Toluene	15800	100	49	ug/l	
100-41-4	Ethylbenzene	2480	100	60	ug/l	
1330-20-7	Xylene (total)	15500	100	59	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	100	51	ug/l	
91-20-3	Naphthalene	ND	500	440	ug/l	
98-82-8	Isopropylbenzene	99.5	100	65	ug/l	J
95-63-6	1,2,4-Trimethylbenzene	1750	200	100	ug/l	
108-67-8	1,3,5-Trimethylbenzene	424	200	100	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	103%		80-120%
17060-07-0	1,2-Dichloroethane-D4	104%		80-120%
2037-26-5	Toluene-D8	101%		80-120%
460-00-4	4-Bromofluorobenzene	96%		82-114%

(a) Dilution required due to high concentration of target compound.

---

ND = Not detected      MDL = Method Detection Limit      J = Indicates an estimated value  
 RL = Reporting Limit      B = Indicates analyte found in associated method blank  
 E = Indicates value exceeds calibration range      N = Indicates presumptive evidence of a compound



## Report of Analysis

37  
3

<b>Client Sample ID:</b> MW-8 <b>Lab Sample ID:</b> JD85755-7 <b>Matrix:</b> AQ - Ground Water <b>Method:</b> SW846 8260D <b>Project:</b> P-242, 7040 Mill Creek Road, Levittown, PA	<b>Date Sampled:</b> 04/02/24 <b>Date Received:</b> 04/03/24 <b>Percent Solids:</b> n/a
--	---

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	5A6049.D	1	04/09/24 21:47	ED	n/a	n/a	V5A180
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

**VOA Unleaded Gasoline with TMB List**

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	6.7	0.50	0.43	ug/l	
108-88-3	Toluene	81.7	1.0	0.49	ug/l	
100-41-4	Ethylbenzene	14.4	1.0	0.60	ug/l	
1330-20-7	Xylene (total)	67.4	1.0	0.59	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
91-20-3	Naphthalene	50.5	5.0	4.4	ug/l	
98-82-8	Isopropylbenzene	42.8	1.0	0.65	ug/l	
95-63-6	1,2,4-Trimethylbenzene	5.1	2.0	1.0	ug/l	
108-67-8	1,3,5-Trimethylbenzene	1.3	2.0	1.0	ug/l	J

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	103%		80-120%
17060-07-0	1,2-Dichloroethane-D4	98%		80-120%
2037-26-5	Toluene-D8	98%		80-120%
460-00-4	4-Bromofluorobenzene	98%		82-114%

ND = Not detected      MDL = Method Detection Limit      J = Indicates an estimated value  
 RL = Reporting Limit      B = Indicates analyte found in associated method blank  
 E = Indicates value exceeds calibration range      N = Indicates presumptive evidence of a compound

**Misc. Forms**

---

**Custody Documents and Other Forms**

---

**Includes the following where applicable:**

- Chain of Custody



## SGS Sample Receipt Summary

Job Number: JD85755

Client: GECR

Project: SUNOCO

Date / Time Received: 4/3/2024 4:38:00 PM

Delivery Method: SGS COURIER

Airbill #'s: \_\_\_\_\_

Cooler Temps (Raw Measured) °C: Cooler 1: (2.4);

Cooler Temps (Corrected) °C: Cooler 1: (2.8);

**Cooler Security**

Y or N

Y or N

- |                           |                                     |                          |                       |                                     |                          |
|---------------------------|-------------------------------------|--------------------------|-----------------------|-------------------------------------|--------------------------|
| 1. Custody Seals Present: | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 3. COC Present:       | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. Custody Seals Intact:  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 4. SmpI Dates/Time OK | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

**Cooler Temperature**

Y or N

- |                              |                                     |                          |
|------------------------------|-------------------------------------|--------------------------|
| 1. Temp criteria achieved:   | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. Cooler temp verification: | <u>IR-50</u>                        |                          |
| 3. Cooler media:             | <u>Ice (Bag)</u>                    |                          |
| 4. No. Coolers:              | <u>1</u>                            |                          |

**Quality Control Preservatio**

Y or N

N/A

- |                                 |                                     |                                     |                          |
|---------------------------------|-------------------------------------|-------------------------------------|--------------------------|
| 1. Trip Blank present / cooler: | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. Trip Blank listed on COC:    | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 3. Samples preserved properly:  | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |                          |
| 4. VOCs headspace free:         | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> |

**Sample Integrity - Documentation**

Y or N

- |  |                                     |                          |
|--|-------------------------------------|--------------------------|
| 1. Sample labels present on bottles:   | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. Container labeling complete:        | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 3. Sample container label / COC agree: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

**Sample Integrity - Condition**

Y or N

- |                                  |                                     |                          |
|----------------------------------|-------------------------------------|--------------------------|
| 1. Sample recvd within HT:       | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. All containers accounted for: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 3. Condition of sample:          | <u>Intact</u>                       |                          |

**Sample Integrity - Instructions**

Y or N

N/A

- |   |                                     |                                     |                                     |
|---|-------------------------------------|-------------------------------------|-------------------------------------|
| 1. Analysis requested is clear:           | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |                                     |
| 2. Bottles received for unspecified tests | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |                                     |
| 3. Sufficient volume recvd for analysis:  | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |                                     |
| 4. Compositing instructions clear:        | <input type="checkbox"/>            | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |
| 5. Filtering instructions clear:          | <input type="checkbox"/>            | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |

Test Strip Lot #s:	pH 1-12: <u>231619</u>	pH 12+: <u>203117A</u>	Other: (Specify) _____
--------------------	------------------------	------------------------	------------------------

Comments

SM089-03  
Rev. Date 12/7/17

**JD85755: Chain of Custody**

Page 2 of 2

4.1  
4